



# Process Runner GLSU User Manual **24.1**



- This page intentionally left blank -



## Table of Contents

<b>Introduction.....</b>	<b>7</b>
How Does GLSU Work? .....	10
<b>GLSU Ribbon Menu Features.....</b>	<b>12</b>
Customize Your Spreadsheets .....	16
Customize by Department.....	17
Validate Data before Posting .....	18
Definition of Users.....	19
<b>What's New in GLSU?.....</b>	<b>20</b>
SOX Compliance .....	23
<b>Getting Started .....</b>	<b>26</b>
<b>Getting Started for Premium Users .....</b>	<b>28</b>
Step 1: Maintaining the GLSU License (Premium Only) .....	29
Step 2: Maintaining Premium Users (Premium Only).....	30
Step 3: Maintaining Standard Users (Premium Only).....	32
Step 4: Uploading new Add-ins (Premium Only).....	34
<b>Getting Started for Standard Users .....</b>	<b>35</b>
Standard Users Step 1: Set your GLSU Validation Choices .....	35
Standard Users Step 2: Download / Install the GLSU add-in.....	36
Standard Users Step 3: Create your first GLSU spreadsheet .....	37
Create and Use a Vertical Header GLSU template .....	40
<b>Other Spreadsheet Features .....</b>	<b>46</b>
Initialize New Worksheets.....	46
Add/Delete Columns .....	48
Re-Order Columns.....	50
Post a Document.....	52
Displaying Posted Document Numbers & Messages .....	53
Document Number Drill-Back.....	54
Posting or Parking Documents.....	54
Posting Recurring Entry Documents .....	56
Triggering SAP Workflow .....	57
Accrual/Deferral – Booking Reversing Documents.....	59
Foreign Currency Adjustments .....	60
Master Data Value Lookups .....	61
Pinning Frequently Used Values .....	63
Validate Before Post/Export Option.....	65
Check File Upload History .....	67
Auto-Resize Columns.....	68
Auto-Format Colors .....	68
Ignore Columns.....	68
Description Columns .....	70
Ignore Rows .....	72
Multiple Worksheets.....	73
The SKIPSHEET feature .....	75

Multiple Documents on a Single Worksheet .....	75
Multiple SAP Systems .....	78
Pre-Validations .....	80
Validating the Spreadsheet.....	80
Show Validation Info .....	81
Correcting Errors in the Spreadsheet.....	83
Retrieve Validation Data .....	86
Adding Master Data Texts.....	87
Inter-Company Transactions .....	88
VAT Taxes.....	89
Document and Line Item Long Texts .....	90
Double-Byte (East Asian Languages) .....	93
Document Attachments (BDS) .....	94
Integration with EWF (Easy Workflow) .....	99
<b>GLSU SAP Features .....</b>	<b>104</b>
Setting your GLSU Validation Options .....	105
Processing "Export" Files .....	107
Maximum # of Document Line Items.....	109
Upload File History.....	110
Spreadsheet Templates.....	112
Importing Data into a GLSU Template.....	121
Mapping the Data .....	124
Importing Data.....	125
Importing Data – Advanced .....	126
Embedding Custom GLSU Buttons into a Template .....	129
GLSU SAP-Side Installation Check (Technical/Project Team Utility) .....	131
<b>Premium Only</b> – Default and Hidden Field List.....	133
<b>Premium Only</b> – Maintain Technical Options.....	135
<b>Premium Only</b> – Create Off-Line Validation File .....	138
<b>Premium Only</b> – Default User Settings.....	140
<b>Troubleshooting .....</b>	<b>143</b>
Getting Help from your Premium Users .....	143
Using the Support Portal .....	143
<b>Export a Document (2-Step Posting Process)</b> .....	144
Custom Pick Lists .....	144
"Scripting Not Enabled" Error Message .....	145
Problems with the Toolbar?.....	147
<b>Technical Installation.....</b>	<b>149</b>

### Trademarks

SAP and Fiori are the registered trademarks of SAP SE. Microsoft Excel is the registered trademark of Microsoft Corporation. All other trademarks are the property of their respective owners.

### Copyright

1999-2024 insightsoftware, LLC. No part of this User Guide may be reproduced in any form or by any means without the prior written permission of insightsoftware, LLC.

### Notice

This User Guide, as well as the software described in it, is furnished under license and may only be used or copied in accordance with the terms of such license. Before using this software or reading this user guide, make sure you have read, understood, and agreed to the End User License Agreement signed by your management.

### SAP Requirements

- SAP System version ECC 6.0 EHP0 or newer.
- All GLSU installations are Unicode compliant.
- Transport install package.
- User authorizations for transactions FB01, FBV1, FBS1, FBB1 (as needed) and others as listed in Section 3 of the [Technical Installation](#) (at end of this manual).

### Minimum PC Requirements

- Windows 8, 8.1, 10 or 11 (32 or 64-bit) OS.
- Microsoft Excel 2013, 2016, or 2019 (32 or 64-bit) [includes Office 365 (desktop versions only) and as specified by current Product Compatibility Matrix].
- SAP GUI (Currently supported version from SAP and as specified by current Product Compatibility Matrix).
- If using Fiori and do not want to install full SAP GUI, still requires "Unicode RFC Libraries" and Login system configuration.
- Hardware as required by Windows OS version.
- GLSU supports double-byte character sets (East Asian Languages).
- GLSU supports the use of SSO via SAP SNC (Secure Network Communication). If SNC is properly installed on the desktop, no additional setup steps are required in GLSU.
- **PC Application must be installed as an Administrator.**

- This page intentionally left blank -


## Introduction

Have you ever wished for an easier way to get financial data into your SAP system? Chances are, your organization uses many homegrown applications and/or spreadsheets to pre-process your data before entry into SAP. This may require many hours of unproductive data-entry time by your processing departments or IT organization.

Maybe you are already using a simple batch input loader but wish you had the flexibility to handle numerous requirements from different departments in your organization. Maybe you wish that you could do batch input with fewer errors in a timelier manner.

GLSU allows an organization to streamline its financial data entry functions. GLSU provides a flexible and intuitive spreadsheet interface for collecting and posting transactions to SAP. From simple recurring general journal entries to allocations thousands of lines long, GLSU solves many common SAP data entry problems.

### **Post directly to SAP without leaving Excel!**



## What is GLSU?

Far more than a simple batch load program, GLSU uses a combination of configurable spreadsheet interface with a custom ABAP load program. These two items work together to deliver deep functionality such as...

1. **Configurable work space.** Enter only relevant SAP data items for your specific application. Customize the order of fields. All spreadsheet customization is done through dialog boxes which let you choose and order fields from a pick list. Adding, changing, or deleting fields takes seconds.
2. **Build data-entry applications.** Form input, monthly close packages, complex allocations, rebates, accruals, etc., can all be automated using GLSU. Different spreadsheet "templates" can be created, stored on the SAP server, and distributed to your workforce quickly.
3. **Pre-verification of data BEFORE posting.** GLSU can check your input data against SAP master data to warn of potential errors before posting occurs.

## About your User Guide

This guide will help you learn how to use GLSU. It will also serve as a reference as you attempt more sophisticated techniques. The first chapter describes the high-level concepts about how GLSU works. The second and third chapters explain the detailed functionality of the GLSU spreadsheet and the SAP portions of the product respectively.

This guide assumes you are already familiar with basic Windows, and Microsoft Excel concepts – menus, dialogs, mouse operations, such as clicking and dragging. This guide also assumes you are familiar with basic SAP concepts – posting, parking, batch sessions, etc. If you need more information on these subjects, please refer to the appropriate Microsoft manuals or your SAP documentation or administrator.

## How Does GLSU Work?

GLSU is a spreadsheet uploader tool that runs in a two or three-step process. It has both ABAP and a Visual Basic Add-in which work together to provide a complete solution. GLSU can post data to your SAP system in two ways:

1. Direct Posting
2. Batch

Direct Posting allows you to enter SAP data without ever leaving the spreadsheet. Excel dialog boxes tell you if the posting is successful and return the SAP document number and other SAP messages upon a successful post.


At the highest level, the GLSU batch posting functionality works in a two-step process...

1. User inputs data into the spreadsheet. This is the posting data which will then be posted to SAP. These entries can be as long as you require. You are not limited by any SAP limitations on document posting size and you can post multiple worksheets at a time.
2. Post the export file to SAP. Using the GLSU custom transaction "**ZGLSU**", the user will then post the data to SAP using a simple procedure.

Installing GLSU the first time is a simple process and is explained in detail in the next chapter Getting Started. Installing GLSU involves activating the GLSU add-in in Excel.

The GLSU spreadsheet functionality is provided by an Excel "Add-in". This add-in is written using Microsoft Visual Basic for Applications.

Once activated, the Add-in will provide additional GLSU functionality. The functionality is accessed by new items in the Excel Ribbon. These menu options are explained in detail later in the manual.



### Hint!


GLSU is written using Excel macros. There is no risk of having virus issues when installing and running GLSU code via the add-in.

All Z Option add-ins are digitally signed to ensure your protection.



## GLSU Ribbon Menu Features

Once activated, GLSU has its own tab in Excel with specific features in a Ribbon menu format.



### 1. Processing



#### POST / PARK

This feature will first Validate the sheet(s) [depending on settings], and then Post or Park the document(s) in SAP.



#### EXPORT

This feature will Validate the GLSU sheet(s) [depending on settings], and Export the data to a single .ZGL file (for processing manually using SAP transaction ZGLSU). Also see section [Export a Document \(2-Step Posting Process\)](#).



#### VALIDATE

Validates the GLSU sheet(s) and displays a list of errors that need to be repaired before an Export or a Post/Park can be done. See more on [Validating](#) here.



#### REVIEW VALIDATION

This window brings back the list of validation errors showing the issues and the location of each.

### 2. Tools




#### OPTIONS

Allows for SAP system connection setup, sheet selection for processing, and a list of general options and settings.



#### CHOOSE FIELDS

Allows the user to select which SAP fields are on the current GLSU sheet. Used to add/remove the fields from the sheet.



**REFRESH DESCRIPTIONS**

Refreshes descriptions by connecting to SAP and updating all cells that contain the "=glsu\_description(xx)" formula (where xx equals the cell where master data element is entered)



**IMPORT**

Allows for importing of delimited data directly into a GLSU sheet. [Mapping of incoming file fields to GLSU fields](#) is supported. Also see section [Importing Data](#).

**3. Utilities**



**LOGOUT**

Disconnects the GLSU connection to SAP.



**INITIALIZE**

Creates a new GLSU sheet. This will bring up the CHOOSE FIELDS dialog so that the GLSU fields can be selected or the defaults taken.



**RESET LINKS**

Reads the GLSU sheet to find and fix any broken GLSU formula links such as "=glsu\_description()" and "=glsu\_balance()". If the location of the add-in changes, Reset Links will point formulas to the correct location of the add-in.



**SHOW MY CONTACTS**

Displays the contact information all of your GLSU Premium Users. Premium users often can solve accounting questions.




**RETRIEVE VALIDATION DATA**

Connects to SAP to update validation preferences, and if Validation Options are set to .INI, will then retrieve the data to the .INI file.




**SHOW VALIDATION INFO**

Show a list of validation fields and whether the data set is LOCAL or LIVE.



### EXPORT DEFAULT LANGUAGE

Exports the internal default English language strings to a file. A translator may then edit this file to localize the language.



#### 4. Help



##### **GLSU VERSION INFO**

This "About" dialog shows the component version information necessary for GLSU support questions. Clicking on the "More..." button will give detailed information that is useful for support as well. If you would like to attach this information to a support ticket, click on the "Save as..." button



##### **GLSU MANUAL**

This feature will link you directly to the latest manual online for the GLSU version that is installed.

## Customize Your Spreadsheets

Each column in the GLSU spreadsheet represents an SAP data element for posting. There are columns for each header and detail field which could be populated. GLSU allows you to customize which SAP data elements are available on your spreadsheet. Each user or department can use GLSU in a way that is intuitive for them.

Adding, changing, or deleting fields on the spreadsheet (even PA characteristics) is configurable and does not require re-coding of the spreadsheet or the ABAP load program.

***Example:*** Accountants may not care to validate against customers, and the Receivables department may not care about Vendor master data.

## Customize by Department

Each of your departments may have a set of fields which are unique to them but are rarely used by other groups (vendors for Payables, customers for Receivables, etc.). GLSU lets you tailor the spreadsheet for the needs of these individual departments.

These customized spreadsheets can then be stored centrally on your SAP server as Templates. Central storage of these templates enables...

**Consistency.** By having your processing personnel download these centrally stored Templates, you can ensure that your data is being entered in a consistent fashion.


**Ease of distribution.** Central storage of the templates also facilitates the enterprise-wide distribution of these templates. Everyone that has access to SAP can download the templates. (NOTE: GLSU Templates may also be distributed as Excel (.XLS) files via other methods such as email, FTP, etc.).

**Department 1**  
**Account, Customer, Terms, Amount**

**Department 2**  
**Account, Vendor, Amount**

**3 Fields**

**4 Fields**




The screenshot shows an Excel spreadsheet with a custom ribbon for GLSU. The ribbon includes tabs for Processing, Tools, Utilities, and Help. The spreadsheet data is as follows:

Header:	Document Type	Company Code	Document Date	Posting Date	Currency	Doc.Header Text	Document Number
	SA	3000	7/23/2020	7/23/2020	USD	Demo	
Line Items:	Posting key	Account	- balanced -	Text	Cost Center	Transactn Type	Profit Center
	40	100000		1			
	50	100000		1			

## Validate Data before Posting

GLSU lets each user choose SAP master data fields to pre-validate before posting. Company Codes, Posting Keys, Cost Centers, Profit Centers, Customers, Vendors, Field Status Group information, and many others are all selectable.

This feature ensures that your user's data-entry is correct before posting to SAP. This will reduce error-correction time and increase productivity.



## Definition of Users

There are three types of GLSU users: Premium users, Standard users, and all other employees or business partners of the customer. These three types of users have different capabilities with GLSU.

Function	Licensed GLSU Users		Everyone Else
	Premium	Standard	

### Posting Functionality

Install GLSU Add-in	✓ Yes	✓ Yes	✓ Yes
Use the GLSU spreadsheet	✓ Yes	✓ Yes	✓ Yes
Perform Live Validations	✓ Yes	✓ Yes	⊙ No
Post the spreadsheet to SAP (requires SAP authorization)	✓ Yes	✓ Yes	⊙ No

### Template / Spreadsheet Control Functionality

Customize GLSU spreadsheets	✓ Yes	✓ Yes	✓ Yes
Download spreadsheet templates from SAP to PC (SAP access required)	✓ Yes	✓ Yes	✓ Yes
Manage GLSU templates stored on SAP	✓ Yes	⊙ No	⊙ No

### Help / Support

Telephone / case/ticket support	✓ Yes	⊙ No	⊙ No
---------------------------------	-------	------	------

## What's New in GLSU?

We are committed to aggressive ongoing development of GLSU.

NOTE: Naming nomenclature has changed to the insightsoftware standard (YY.Q) after version 8.5.

New features in GLSU version 24.1...

1. [Fiori](#) readiness

New features in GLSU version 23.4...

1. Support for [withholding tax entries](#) for vendor/customer accounts

New features in GLSU version 23.3...

1. [Duplicate Entry Consolidation](#)

New features in GLSU version 23.2...

2. Pre-Validation cache, improved validation times by up to 50%
3. Master data description improvements – change descriptions language from the same worksheet

New features in GLSU version 23.1...

1. [Closing Metrics Report/Dashboard](#)

New features in GLSU version 8.5...

1. [EWF \(Easy Workflow\) integration](#) ( requires purchase of Easy Workflow solution ).

New features in GLSU version 8.0...

1. [Validation Markers](#) with Conditional Formatting of all pre-validations

New features in GLSU version 7.0...

1. [Create a template](#) from Parked Documents.
2. Enhanced Journal Entry [Template display/entry](#) options
3. Enhanced [Document History](#) Logging (record parked documents)
4. Enhanced Support for SharePoint/OneDrive environments

New features in GLSU version 6.2...

1. Support added to [post](#) Recurring Entries (FBD1 type entries).
2. Support added for Recurring Entry Pre-Validations.
3. Multiple [attachments](#) with support for any file type.
4. Auto-plug rounding tolerance.

5. Displays detailed component information in "GLSU Version Info" for GLSU and SAP GUI environment (troubleshooting enhancement).

#### New features in GLSU version 6.0...

1. [Park Documents](#) to Non-Leading Ledgers.
2. Support for 64-bit MS Office installations.
3. [Download templates](#) from GLSU directly as an initialization option.
4. [Copy existing posted documents](#) as an initialization option.
5. Select individual sheets for export, validation, and post/park actions.
6. The [Ribbon menu](#) will now read "Post" or "Park", depending which transaction is selected.
7. The local validation data is automatically updated on the first login.

8. [Import data](#) from delimited files directly into a GLSU template. This includes the ability to create offsetting entries automatically if the data is available on the incoming records.
9. [Custom pick list](#) support is available for custom fields. ABAP function module coding is required. Working examples are provided.
10. [Automatically add a description field](#) to a template for an existing field.
11. [Document attachment size](#) can now be controlled by a Premium user. The worksheet size is viewable in GLSU along with a breakdown of individual sheet sizes.
12. Allow Premium user to [globally control access to transactions](#) and the "Choose Fields" menu option for all users.
13. [Pick lists now support "pinning" favorite values](#) so that they stay on top for ease of access.
14. Cross-company document numbers are now returned in the BVORG field (Cross-CC No.) and are linked to the cross-company document.

#### New features in GLSU version 5.0...

1. [Initialize from a SAP document](#) enhancement – Facilitates quick creation of a GLSU template with data from existing SAP financial documents.
2. Show blocking indicators in pick lists for Cost center, Profit center, and Internal orders.
3. Add pick values for Reversal reason, fields with fixed values, and select fields with SAP check tables.
4. Pre-validation of accounts which are "Post automatically only" and "Reconciliation accounts" and exclude from pick lists.
5. Option to view [SAP Message Long Text](#) information in pre-validation.
6. GLSU functions available in an [Excel Ribbon menu](#).
7. Premium-user controlled [Default User Settings](#).

#### New features in GLSU version 4.2...

1. Support for Windows 8, Excel 2013.
2. Support for Multi-Portal SSO (Single Sign-On).

#### New features in GLSU version 4.1...

1. [Pre-validation enhancement](#) for Cost Accounting and Financial Account line items within GGB0 (sister configuration transactions – OKC7 and OB28, respectively), configured coding block checks usually including PAI exit for customer fields in coding block, asset checks, SD order checks, funds management checks, CO relevant fields, FI relevant fields, MM relevant fields, and joint venture checks.
2. [Document number drill-back](#) (from Excel to interactive SAP screen).

#### New features in GLSU version 4.0...

1. [Attach source spreadsheet documents](#) to the BDS (Business Document Service) in SAP.
2. Show [cross-company](#) (intercompany) and split document numbers.
3. [Double-byte \(East Asian Language\) Unicode](#) support.

4. Windows installer (mainly to aid in Citrix and other non-end-user involved deployments)
5. GLSU SAP side [installation check](#) function.

## SOX Compliance

GLSU meets basic data access requirements for SOX (Sarbanes-Oxley Act) standards.

GLSU has always restricted access for posting documents by leveraging standard SAP authority objects. The additional checks which are now in place ensure that data, at a company code level, cannot be viewed in the off-line validation file, off-line and live pick list, or off-line and live description functionality unless the user has specific authority to view the data.

For specific details on what authority objects are checked, please see Section 3 of the "[Technical Installation](#)" section.

- This page intentionally left blank -

## Getting Started

GLSU consists of **SAP** and **PC** components;

both parts have to be installed for the GLSU add-in to work.



### ✓ PC files

A complete GLSU installation on a PC has **two** (2) Excel Add-In files for GLSU 'Active' (within Excel):

1. "Z Option GLSU.xla"
2. "Z Option GLSU Ribbon.xlam"

You should be able to see both parts in Excel when you go to Excel → File → Options → Add-Ins.

### ✓ SAP transport

Your company's SAP BASIS team will install this component into your SAP system(s).

The transport only needs to be done once per SAP system, but

Diagnostic steps for GLSU within SAP are explained in steps in the section [GLSU SAP-Side Installation Check \(Technical/Project Team Utility\)](#).

**Please NOTE that GLSU must be installed and the license unlocked on each SAP system to be used with GLSU [i.e. DEV, TST, PRD, etc.].**

The license must be unlocked in SAP on each client in each system.

This getting started section is broken into three sections....

1. **Technical Installation:** This is done by your company's BASIS team, and is the first step in the process. Technical installation instructions are detailed in the last section of this manual.
2. **Unlock the GLSU Licenses:** This step is the second in the installation process. It takes place after GLSU has been installed on your development platform. License Unlock procedures are done by your company's Premium User(s). This is the point where you will configure GLSU with the Premium and Standard Users. **This must be done for each SAP client in which you want to use GLSU.**
3. **Posting your first spreadsheet:** After GLSU has been technically installed and unlocked, you will want to post your first simple spreadsheet. This section will explain the steps required to do this by introducing you to the basics of GLSU's functionality. The following section will explain GLSU's capabilities in much greater detail.

#### Step 1: Technical Installation

Proceed to the last section of this manual. This section contains the sequential steps necessary to install the GLSU transport onto your development system.

Instructions for using the GLSU Ticket System are also explained in the Technical Installation section at the end of the manual.

Once the GLSU transport has been installed, the logical file path has been configured, and necessary authorization profiles have been edited, then it is time to move to the next section: *Getting Started for Premium Users...*

## Getting Started for Premium Users

Premium users at your site will be responsible for maintaining the specific users who will be using GLSU.

After the GLSU software has been properly installed on your SAP system, use transaction ZGLSU to start the GLSU program. Premium user functions are accessed by clicking on the "Premium User Functions" button.

☰ MS6(1)/400 Premium User Me... ✕

- Maintain Templates
- Upload Addin
- Maintain Premium Users
- Maintain Standard Users
- Maintain License
- Maintain Technical Options
- Create Offline Validation File




To get started, the Premium User(s) need to do the following tasks in order presented. These steps are explained in detail on the next few pages...

1. **Maintain the GLSU license.** This step tells your copy of GLSU how many seats have been purchased by your company. ***This must be done for each client in which you want to use GLSU.***
2. **Maintain the Premium Users.** You will need to name at least one Premium user before anyone can post using GLSU. ***This must be done for each client in which you want to use GLSU.***
3. **Maintain the Standard Users.** You can either have GLSU auto-register the standard users or you can name them manually. ***This must be done for each client in which you want to use GLSU.***


## Step 1: Maintaining the GLSU License (Premium Only)

The first step in getting GLSU running is to setup/maintain the GLSU license. Execute transaction ZGLSU in SAP. Once in the GLSU transaction, type "PREM" in the SAP command box and press Enter. Clicking on the "Maintain License" button from the Premium User Function screen displays the dialog box shown in the image below. (NOTE: Depending on if any license data already exists [i.e. system copies], you may not need to enter the "PREM" function, the license dialog may display automatically.)



The "Maintain License" screen shows the number of Premium and Standard users which have been licensed and how many have been used at your company. To change these numbers of licensed users (either the first time you use GLSU, or if you add seats later) you will need a "License Unlock Code". The "License Unlock Code" is supplied by insightsoftware.


1. Open an Internet Web Browser and go to <http://licensesupport.zoption.com/ticket2/index.php>.
2. If you have not already done so, each Premium user should request a ticket system login ID by selecting "Request System ID" Fill out all of the information and submit your request.
3. Once your ticket system ID has been confirmed (you will receive an email) you may log in to the ticket system on the same support page by click "Login".
4. After you are logged in, select "License & Unlocks"
5. Select company name, "GLSU" and "License" from the drop-downs.
6. Copy&Paste the Registration Code FROM SAP, enter into the website field with the same name.
7. Click "Request Code". Copy&Paste the Unlock code FROM THE WEBSITE SCREEN back to the \*\*SAP\*\* entry box with the same name.
8. Press Enter, or click the green checkmark to Save



## Step 2: Maintaining Premium Users (Premium Only)

Premium users must be individually named on your system. To set up the Premium users for your site: Restart the ZGLSU transaction (/nZGLSU in the SAP command box). Once in the ZGLSU transaction, type "PREM" in the SAP command box and press Enter. From the Premium User Function screen click on the "Maintain Premium Users" button. The following dialog box will display:

**Click the "New" icon at the bottom of the "Maintain PREMIUM Users" screen.**



1. To add a Premium User, you will need a Premium User Unlock Code. You will need to type in the **new** Premium User's SAP user ID into the Username field.
2. Login to the License system (see previous section)
3. Select the company name, "GLSU" and "Premium User" from the drop-downs.
4. On Maintain PREMIUM Users screen in SAP, click "Create New Entry" button (white page icon). On the Add User pop-up, for "Username" in SAP, enter THE SAP ID OF THE PERSON YOU WANT TO ADD.
5. Copy&Paste the Registration Code FROM SAP, enter into the website field with the same name. In the web form user field, enter THE SAP ID OF THE PERSON YOU WANT TO ADD.
6. Click "Request Code". Copy&Paste the Unlock code FROM THE WEBSITE SCREEN back to the **\*\*SAP\*\*** entry box with the same name.
7. Press Enter, or click the green checkmark to Save.
8. Repeat steps 4 – 6 as necessary for all Premium Users.



### Step 3: Maintaining Standard Users (Premium Only)

You can register your Standard users in GLSU in 2 different ways.

1. **Automatic registration.** GLSU will know how many licensed users are available at your site. It will keep track of the different users who have LIVE VALIDATED or UPLOADED entries using GLSU. When the license limit is reached, no new user names will be allowed to upload entries until one of the two procedures below is performed to free up more seats.
2. **Manual registration.** If you want specific people to upload entries using GLSU, you should manually add their login names to the GLSU registered users list.


There are two ways to get more Standard Users access to upload GLSU entries.

1. Purchase more Standard seats. A new "unlock code" will be issued which will allow more unique users to upload entries.
2. Remove existing Users internally registered as Standard users so that new users can be registered automatically by GLSU, or registered manually by a Premium User.


Remember that there is a difference between Standard Users and Un-Registered Users. Standard Users are allowed by GLSU to upload entries. Un-Registered Users can use all the GLSU functionality EXCEPT posting. This will allow employees at your company to download the GLSU add-in and download the master data.

To maintain the Standard Users in SAP...

1. Click the "Premium User Functions" button in the GLSU "ZGLSU" transaction.
2. Click the "Maintain Standard Users" button. The following screen will display...



3. To have GLSU automatically register users, enable the "Auto-register Enabled?" checkbox.
4. Enter the username and click the "Check" icon.




5. To manually delete users, click the "Delete" icon.
6. Once your changes are complete, click the "Check" icon to save your changes.

## Step 4: Uploading new Add-ins (Premium Only)

GLSU works with two sets of programming code. The ABAP code (transaction ZGLSU on SAP) controls the functionality of posting and user maintenance. The Visual Basic for Applications code controls the functionality of the spreadsheet. This Visual Basic code is stored in an Excel add-in. Typically, the ABAP and the Visual Basic Add-in are upgraded together. However, there may be times when a new Visual Basic Add-in will be released separately from the ABAP. New spreadsheet functionality could then be acquired without re-transporting a new version of the GLSU ABAP code.

We will provide the application (in the form of a SetupGLSU.exe file) to your Premium User(s). Once the VB code has been received, it will need to be uploaded to your SAP server. **NOTE: You MUST perform this upload step for each SAP system/client combination if you wish to deploy the PC components from SAP.** The functionality to upload a new VB Add-in is under the "Premium User Functions" screen. Click the "Upload Add-in" button then browse to the location of the "SetupGLSU.exe" file on your computer. Select "Open" and then confirm the upload.

Your Premium User(s) should then test the new VB code. Once satisfied, they should notify the GLSU users to download the new Add-in.



You are now finished with all of the Premium-User-only steps. Please proceed to the next section, "Getting Started for Standard Users", to continue the setup process.

## Getting Started for Standard Users

The first step to get GLSU on your PC is to download the GLSU Add-in from the GLSU ABAP program. GLSU spreadsheet functionality is provided by an Excel add-in. This add-in contains the programming which makes GLSU work on your PC.

To get started, you will need to...

1. Set your GLSU validation choices
2. Download/install the GLSU add-in
3. Create your first spreadsheets


This section will walk you through the initial steps to post your first GLSU spreadsheets. The following section "Other Spreadsheet Features" will detail the remaining GLSU functionality.

### Standard Users Step 1: Set your GLSU Validation Choices

The GLSU ABAP program will allow you to configure the GLSU validations to your requirements.

For most installations, the "LIVE" validation settings will make the most sense. This setting causes GLSU to use live data to validate your workbook. GLSU comes pre-configured with this setting. However, should you wish to view or change these settings please see section "[Setting Your GLSU Validations Options](#)".

For those items that are not marked as "LIVE" and are pulled to the front-end for validations, there is a choice that can be made between manually updating this file (using the "Retrieve Validation Data" menu item and automatic. The Automatic setting is ON by default. This feature will refresh the validation data automatically on the first login. This is controlled by a setting on the "General" tab of the "Options" dialog.




## Standard Users Step 2: Download / Install the GLSU add-in

If your desktop admin group has already installed the GLSU add-in, or if you are installing from a network location you can ignore this page of instructions and simply run the SetupGLSU.exe installer.

To download and install the GLSU add-in on each PC....

1. Ensure that the GLSU ABAP program has been transported and properly installed on your SAP system.
2. Start SAP. You must have an SAP logon to download the GLSU Add-in.
3. Execute the GLSU transaction ZGLSU.
4. Make sure you have set your validation options as described in the previous chapter.
5. From the GLSU transaction, choose the "Download Add-in" button.
6. A standard Windows dialog box will appear and ask where the installer should be downloaded. You can change this if desired but we recommend you do not. Click "Save".
7. Click "Yes" to confirm the download of the installer.
8. Click "Next".
9. On the destination folder install step, we highly recommend installing to the default installation path. Click "Next" and then "Finish".
10. Click "ok" through the add-in installer steps until the installation is complete.

Start Microsoft Excel and note the new "GLSU" menu in the ribbon.




## Standard Users Step 3: Create your first GLSU spreadsheet


Once the GLSU Add-in has been downloaded to your PC and activated, you may now begin using GLSU. To proceed, you may either Initialize a new spreadsheet or download an existing template from the SAP server. This section explains how to set up a spreadsheet from scratch. The next section explains how to download a template which has been created and customized by your company's Premium users.

To Initialize a new spreadsheet, perform the following steps...


1. Download and activate the GLSU Add-in. See the previous section for detailed instructions.
2. Choose "GLSU" from the Excel Ribbon (if not already selected).
3. Choose "Initialize".



4. In the Initialize Worksheet dialog box, choose "OK".



5. On the next dialog box, select "Initialize". *NOTE:* There are instructions for the "Initialize from a SAP Document" option later in this manual.



GLSU Options

Workbook | General | Attachments

System : System ZD2 Client 800

(Last Updated) 7/27/2020 8:41:18 AM

Add System

Transaction Type : Post Document

Validate Before Post/Export ?

Check File Upload History ?

Show Posting Messages in Popup ?

Process Active Worksheet Only

Process Selected Worksheets Select

Process Range of Worksheets

to

Formatting


Auto Resize Columns ?

Auto Format?


OK Cancel

If you are installing GLSU for the first time, the "System" will say "No Systems Found". In this case you should click the "Add System" button, then log in to your desired SAP system so GLSU can retrieve vital information about that SAP system and subsequently you will be able to post to it. You can perform this function multiple times for multiple SAP system/client combinations you may wish to use.


6. Hit "OK" and the pick list will be displayed...



7. As of GLSU 7.0, there are now two types of GLSU templates that can be created, "Standard" and "Vertical Header". The standard template will be selected by default. Vertical header templates will be discussed later in this document.
8. Configure your spreadsheet by choosing fields in the "Possible" boxes [labelled "Fields in SAP"] and moving them to the "Selected" boxes [labelled "Fields on Spreadsheet"]. This is explained in more detail later in the manual. Use the "Add >>" and "<< Remove" arrow buttons to edit the fields which are in the selected boxes on the right of the screen.
9. Click the "Accept" button.
10. Type your FI entry data into the spreadsheet. Header information goes at the top of your spreadsheet. Detail information goes in the second section of the spreadsheet. If you need fields which are not on your spreadsheet, re-do the steps explained above which describe how to edit the fields on your spreadsheet.
11. When you have keyed in your data, you should then validate it before exporting the upload file... Choose "Validate".



12. Once your spreadsheet is validated, Post the document to SAP.



13. You will be asked to log onto your SAP system to post. This is explained more fully in a later section of the manual.

## Create and Use a Vertical Header GLSU template

As of GLSU 7.0, a new GLSU template format has been added: **Vertical Header**.

<b>Document Type</b>	SA
<b>Company Code</b>	3000
<b>Document Date</b>	8/7/2020
<b>Posting Date</b>	8/7/2020
<b>Currency</b>	USD
<b>Doc.Header Text</b>	Demo
<b>Document Number</b>	3000 100035738
	+ -

Line Items:	Posting key	Account	- balanced -	Text	Dist. channel
	40	100000	12.5	Demo	
	50	100000	12.5	Demo	

In prior versions of the GLSU add-in, the only option was to create a **Standard** GLSU template. The Standard template format shows the document header fields (BKPF) on two rows. In the Vertical GLSU template the row-type header field section is hidden and a Vertical Header data entry area is created. This is sometime referred to as a "Journal Entry" format. Typically GLSU users have been creating this vertical entry format manually. The downside to this is that when new header fields are added, moved, or removed, the vertical header data entry area that was manually created often requires additional manual changes to continue to work properly. This new feature will not only create a vertical header entry area for you; but it will also maintain it automatically as you make changes in the "Choose Fields" screen.

To create a Vertical Header template format, select "Choose Fields" and proceed to select and arrange your fields as you normally would. When you are ready to create the template, select the "Vertical Header" setting. Pressing "OK" will create the vertical header formatted template.

What you will see that the row-wise header data entry area is now hidden. The fields from the hidden BKPF header rows will now be displayed in a vertical data entry format. Note that there are two buttons present to allow you unhide and hide the original standard BKPF header rows for review. The feature will be discussed more later in this document.

The vertical header consists of two columns. The first column represents the header field description while the second column represents the data value for the header field. Any changes that are made to the header description and header value will be copied to the hidden BKPF header fields. If you would like to see this, make changes to a vertical header field description and enter a data value. Click on the "+" button to view the standard header. You will see that your changes have been copied to the standard header. In addition, you may make edits to the standard header's field descriptions and data if you like. All changes made in the standard header will be copied up to the corresponding fields in the vertical header area. Note that you may also make formatting changes either on the vertical or standard header areas. For example, all font, color, field alignment, etc. can be changed as desired. Note, however, Excel does not see these as cell changes and won't copy the formatting until a header description or field value is entered. Along these lines, you can set the "Auto format" setting "off" to retain all formatting in the template. This setting is found on the "General" tab of the "Options" screen under "Formatting".

**The Vertical Header format has a few additional features that should be noted:**

- Any existing GLSU template in the standard format can be converted to a vertical format just by changing the setting in the "Choose fields" screen.
- You can switch a GLSU template from standard to vertical or from vertical to standard at any time with no loss of data.
- Any user data above or to the right of the vertical header rows will not be lost when you add, move, or move header fields in the "Choose Fields" screen.
- When entering data into the vertical header data fields, pressing the [enter] key will move the selected cell to the next data entry field. Entering data and either clicking on a new cell or using the arrow keys will produce the same result.
- Once you have entered data into the last vertical header field and pressed [enter], the cell selection will move to the first data entry cell in the line items area.
- The vertical header area, which includes the cells in column A, cannot be moved or deleted. This is a protected area. If a row in the vertical header is deleted GLSU will automatically undo that change in order to maintain the one-to-one links to the BKPF header fields.
- Mixing standard and vertical header sheets in one workbook is supported.

## Regarding Formulas in the Vertical Header

Because all data entered from the vertical header is copied to the hidden BKPF header fields, formulas *are not permitted* in the vertical header data entry fields. For example, if you have a "Document Header Text" field in vertical header and attempt to enter a "=glsu\_description()" formula, GLSU will let you know that this cannot be done. If you chose to continue, GLSU will unhide the BKPF header and place the cell selection in the proper field. This is where you enter all header formulas. As the formulas create a change in the BKPF header cell, this data will be copied to the vertical header for you. Please also keep in mind that entering a formula anywhere on the GLSU template that references a cell in the vertical header area will not work as expected. As you make changes to the fields in the vertical header using the "Choose fields" screen, the vertical header is effectively removed and recreated. Therefore, any formulas in the GLSU template that are tied to a cell in the vertical header will also be removed by Excel.

## Vertical Header Templates Loaded into pre-GLSU 7.0 Versions

The Vertical Header feature has been added *only* to the GLSU 7.0 (and future versions). This means that a workbook containing a vertical header formatted template will not work as expected when loaded into prior versions of GLSU. The workbook will load properly and all data will be preserved. However, you will find that changes to the vertical header fields will not copy to the BKPF header automatically as they do in GLSU 7.0. Further, the BKPF header area may still be hidden when the workbook was saved. This is not really an issue and can easily be handled.

**Scenario:** A GLSU 7.0 user creates a vertical header template workbook. The template is then loaded into a machine that has GLSU 6.2 (or earlier) installed.

The workbook will open without issue. The user will see the vertical header formatted area. However, the vertical header *will not work* as it does in GLSU 7.0. It will need to be removed manually. To remove the vertical header and use the GLSU template as a standard template, follow these steps:

### Option 1:

1. Highlight the vertical header rows, including the row with the buttons showing, and delete the rows. If deleting the rows is going to remove user data, it would be best to manually clear out the vertical header area cells and then format the user data as desired.
2. Highlight the hidden rows above the "Line Items:" section. Right-click on the selected rows and select "Unhide". The "Header" rows (BKPF) should now be visible.
3. From here, you can use the template as you would any other standard GLSU template.
4. When you pass the template back to a GLSU 7.0 user, they have the option to convert it back to a vertical header format in the "Choose Fields" screen. No template data will be lost.

### Option 2:

1. Highlight the rows that the vertical header occupies and hide them.
2. Highlight the hidden rows above the "Line Items" section. Right-click on the selected rows and select "Unhide". The "Header" rows (BKPF) should now be visible.
3. From here, you can use the template as you would any other standard GLSU template.
4. When you pass the template back to a GLSU 7.0 user, they have the option to convert it back to a vertical header format in the "Choose Fields" screen. No template data will be lost.

**Note:** ANY pre-GLSU 7.0 template can easily be converted from a standard format to a vertical format using in the “Choose Fields” screen.

**Technical note:** The vertical header functionality makes use of Excel's ability to detect when a cell value has changed. Under rare circumstances this feature of Excel may stop working. This can happen if an Excel system error dialog pops up. If this happens, you can still validate and post. These functions push a copy of the vertical header data into the BKPF fields. The validation and post will work as expected. However, best practice would be to simply save the workbook and then close and re-open Excel and the workbook to regain full functionality.

- This page intentionally left blank -

## Other Spreadsheet Features

The following pages will discuss the functionality of the GLSU spreadsheet in greater detail.


### Initialize New Worksheets

GLSU allows you to manage multiple worksheets independently in a spreadsheet. These worksheets can be configured independently of each other. They may also be posted independently.


You will also use this functionality to initialize a new spreadsheet for GLSU entry.

To set up a new worksheet in an existing spreadsheet...

1. Choose Initialize.



2. In the message box Initialize Worksheet? Choose "OK".
3. You can choose from 1 of 3 options. The first will create a new GLSU template with no data, only blank fields you select. The second loads a stored GLSU template, blank without data. The third option allows you to retrieve data from an existing SAP Financial document.



4. In the GLSU Options dialog box, choose a single worksheet, a range, or a select list of sheets. This will initialize the spreadsheet but not format it/them.
5. (OPTIONAL): If you chose "Initialize from a SAP Document", you will see the following:



The image shows a dialog box titled "Load Document" with a close button (X) in the top right corner. It contains three input fields: "Document", "Company", and "Year". At the bottom, there are two buttons: "OK" and "Cancel".

Enter an existing SAP document number, Company Code, and Fiscal Year for any posted (FB01) or parked (FBV1) and select "OK".

Note 1: Only fields selected in the ZGLSU transaction will be populated with data. i.e. if field SGTXT (Line Item Text) has text in the SAP document but field SGTXT is NOT in the GLSU template (or has been suppressed by one of your Premium users) GLSU will ignore the values in SAP. Premium users may want to configure SAP to always ignore certain fields to streamline this process for end users based on your specific SAP configuration. This can be configured by Premium users in the [Default and Hidden Field List](#).


Note 2: The "Initialize from a SAP document" feature is not meant to load some FI documents. In some cases, it will not create a post-ready document because of other SAP functionality, including but not limited to substitutions, custom enhancements, derived values, etc.

6. The pick list will then display. Configure your spreadsheet. It will configure all worksheets in your spreadsheets if you have chosen to initialize more than one.
7. Click the "Accept" button. This will then format all worksheets you have selected.

## Add/Delete Columns

GLSU allows complete control over which fields are available to the user. Any field which is available in your FI configuration may also be posted to via GLSU. As your company's configuration changes, GLSU automatically updates the Possible Fields listing so that you always have access to the relevant SAP fields.

Use the arrow buttons to move fields, or you can also drag and drop the desired fields.



Fields in SAP		Fields on Spreadsheet	
Field	Descr	Field	Descr
<<blank>>	(blank column)	BLART	Document Type
<<descr>>	(blank column)	BUKRS	Company Code
MONAT	Period	BLDAT	Document Date
KURSF	Exchange rate	BUDAT	Posting Date
WWERT	Translatn Date	WAERS	Currency
XBLNR	Reference	BKTXT	Doc.Header Text
BVORG	Cross-CC no.	BELNR	Document Number
AUGLV	Clearing proc.		
XMWST	Calculate tax		
Field	Descr	Field	Descr
<<blank>>	(blank column)	NEWBS	Posting key
<<descr>>	(blank column)	NEWKO	Account
NEWUM	Special G/L ind	WRBTR	Amount
NEWBK	New co.code	SGTXT	Text
DMBTR	Amount in LC		
WMWST	Tax amount		
MWSTS	LC tax		
MWSKZ	Tax code		
XSKRI	W/n.c.disc.		

Search :  Search Reset

Show Hidden Fields Accept Cancel

**GLSU Template Format**  
 Standard  
 Vertical Header

From the GLSU menu...

1. Click on menu item "Choose Fields" from the GLSU Ribbon.
2. The pick list is organized into Header Fields and Detail Fields.
3. The pick list is also organized into possible and selected fields.
4. Select fields (use arrow buttons or drag-and-drop) and re-order them (graphical buttons only) as desired.
5. The "Standard" template is selected by default. If you would like to a "Vertical Header" template, select the Vertical Header setting. Note: The "Vertical Header" template style was added in GLSU.70 and explained later in this document.

6. Click the "Accept" button when satisfied.


You can search for specific technical field names and field descriptions by entering your search string into the Search box and then press "Search". Both the possible header and detail fields are searched. "Reset" will return all possible fields to the list.

If your Premium user has configured hidden fields, you will not see these fields as a default. This is meant to reduce clutter or remove fields which are rarely or never used. However, these fields are still available simply by checking the "Show Hidden Fields" checkbox.

If your Premium user has configured default fields, these fields will automatically appear in the selected fields, although they can be removed if desired.

## Re-Order Columns

Once you have chosen the appropriate fields for posting, you can order these fields in whatever order makes sense for your application by using the spinner arrows on the right-hand side.



The screenshot displays a software interface for selecting and re-ordering fields. It is divided into two main sections: 'Header Fields' and 'Detail Fields'. Each section has a list of fields from SAP on the left and a list of fields on the spreadsheet on the right. Arrows indicate the movement of fields between these lists. At the bottom, there is a search box, 'Search' and 'Reset' buttons, a 'Show Hidden Fields' checkbox, and 'Accept' and 'Cancel' buttons. A 'GLSU Template Format' section is also present, with radio buttons for 'Standard' (selected) and 'Vertical Header'.

Field	Descr
<<blank>>	(blank column)
<<descr>>	(blank column)
MONAT	Period
KURSF	Exchange rate
WWERT	Translatn Date
XBLNR	Reference
BVORG	Cross-CC no.
AUGLV	Clearing proc.
XMWST	Calculate tax

Field	Descr
BLART	Document Type
BUKRS	Company Code
BLDAT	Document Date
BUDAT	Posting Date
WAERS	Currency
BKTXT	Doc.Header Text
BELNR	Document Number

Field	Descr
<<blank>>	(blank column)
<<descr>>	(blank column)
NEWUM	Special G/L ind
NEWBK	New co.code
DMBTR	Amount in LC
WMWST	Tax amount
MWSTS	LC tax
MWSKZ	Tax code
XSKRI	W/o c.disc.

Field	Descr
NEWBS	Posting key
NEWKO	Account
WRBTR	Amount
SGTXT	Text

Search :  Search Reset

Show Hidden Fields Accept Cancel

**GLSU Template Format**

Standard

Vertical Header

From the GLSU menu...

1. Choose menu item "Choose Fields".
2. In the "Selected Fields" column, choose the field you want to move.
3. Use the up and down arrow buttons on the right side of the screen to change their order.
4. Header and Detail fields work separately.


5. Click the "Accept" button when finished.

## Post a Document

GLSU gives you two ways to update your SAP system, either via a direct posting, or by a batch upload process.

From the GLSU menu...

1. Choose menu item "Post".
2. On the SAP Logon screen, choose the appropriate SAP system and select "OK".
3. On the SAP Logon at SAP screen, enter your SAP user ID and password for this SAP system, and click "OK".
4. After a short pause, the GLSU system will return a dialog box with the document number (if the posting was successful) and any relevant warnings and error messages.



GLSU will prompt you to log into your SAP system the first time you connect for the day (or session). Subsequent postings to SAP will not require that you re-log into SAP. To log out of a GLSU – SAP connection choose "Logout."

## Displaying Posted Document Numbers & Messages


GLSU will return posted SAP document numbers to the spreadsheet in a popup. You can also have the document numbers returned to a special cell in the spreadsheet.

From the GLSU menu...

1. Choose menu item "Choose Fields".
2. Select field "BELNR" (Document Number).
3. Select "Accept".

Upon a successful posting, all document numbers posted will be displayed in this cell when it is available in the worksheet.

If documents are posted, *all* of the document numbers will be displayed in this field with their corresponding company codes first.



In addition to displaying the document numbers, GLSU can also display all of the posting messages from SAP.

From the GLSU menu...

1. Choose menu item "Choose Fields"
2. Select field "ZOPMSGs"
3. Select "Accept"




Intercompany documents will not be populated in this field as only messages which are displayed in the SAP session are shown here. Since SAP does not show cross-company documents in this log, neither does GLSU.

Both of these special fields can be dropped using GLSU dropped header functionality. When the fields are dropped the document numbers and posting messages will be populated in their respective positions for each new dropped header document that is created.

## Document Number Drill-Back

GLSU is delivered with the capability, if the document number field (BELNR) is present on the sheet and populated with an SAP document number, to drill-back to the document in an interactive SAP GUI session.


The document number (and in the case of intercompany entries the corresponding company code) will be displayed in the document number field as an Excel hyperlink. You can simply click the link of the document you wish to view and you will be taken to an SAP document overview screen (FB03). You must already be logged into SAP in the appropriate system via the SAP GUI. A non-used SAP GUI session, or a newly created session, or an existing document display session will be used by GLSU.



*Technical notes:* Two pieces of functionality must be enabled for this feature of GLSU. 1) SAP GUI scripting must be "on" in the SAP GUI for each desktop. To enable this functionality, from the SAP GUI menu select Customize Local Layout → Options. Select the "Scripting" tab and then select the "Enable Scripting" checkbox. You will need to close all SAP GUI sessions before the setting will take effect. 2) Your technical SAP team will need to configure SAP system profile parameter "sapgui/user\_scripting" to "TRUE".

## Posting or Parking Documents

SAP financial transactions can be processed in different ways. SAP users sometimes choose to "Park" documents instead of immediately posting them. GLSU allows you to park your documents if you choose. These parked documents can then be released and posted later via the standard SAP process.



From the GLSU menu...

1. Choose the "Options" menu item.
2. Choose the "Workbook" tab.
3. Choose the appropriate transaction type from the dropdown box.

If your requirement is to park to a non-leading ledger, you may add field "LDGRP – Ledger Group" to the header of your GLSU template and populate it with the appropriate ledger group value.

## Posting Recurring Entry Documents


New in GLSU 6.2 is the ability to create **FBD1** Recurring GL Entries. This process is exactly the same as for posting GL documents from GLSU as described with a few additional header fields like Start Date, End Date, Schedule, etc.

Note: Premium users have access to this feature, always. Standard users will only have access to this feature if a Premium user allows it.

Initialize a new GLSU worksheet as described for "Post Document". While in the GLSU Options screen, select the "Post Recurring Entry". If you don't have this option, click "Retrieve Validation Data". If this option still is not available then please contact a Premium User.

Note that all of the additional header fields can be found under *Choose Fields* by looking or searching for the "Recur" field prefix. The pick list functionality works just the same for these fields as any other.

Here is an example of what a Recurring Entry document might look like.




Header:	Document Type	Company Code	Document Date	Posting Date	Currency	Doc.Header Text	Recur: Start Date	Recur: End Date	Recur: Run Day	Document Number
	SA	3000	7/8/2020	7/8/2020	USD	Header text	8/3/2020	7/31/2025		16
Line Items:	Posting key	Account	- balanced -	Text						
	40	100000								
	50	100000								
							8/3/2020	7/31/2025	16	

## Triggering SAP Workflow

If standard SAP Workflow is configured, it can be triggered by Parking your GLSU entry with the "Document Complete" flag:

1. Simply go to the GLSU Choose Fields screen and add the **XPRFG - Doc.complete** field to the header.



The screenshot shows the 'Select Fields' dialog box with the following content:

Fields in SAP		Fields on Spreadsheet	
Field	Descr	Field	Descr
<<blank>>	(blank column)	BLART	Document Type
<<descr>>	(blank column)	BUKRS	Company Code
<b>XPRFG</b>	<b>Doc.complete</b>	BLDAT	Document Date
DBMON	Recur: Intrvl(Mnths)	BUDAT	Posting Date
DBAKZ	Recur: Schedule	WAERS	Currency
XFWHW	Recur: Amounts in LC	BKTXT	Doc.Header Text
XSFHW	Recur: Tax in LC	DBBDT	Recur: Start Date
XBLLT	Recur: Copy texts	DBEDT	Recur: End Date
		DBTAG	Recur: Run Day

Detail Fields		Fields on Spreadsheet	
Field	Descr	Field	Descr
<<blank>>	(blank column)	NEWBS	Posting key
<<descr>>	(blank column)	NEWKO	Account
		WRBTR	Amount
		SGTXT	Text


Search :  Search Reset

Show Hidden Fields

GLSU Template Format  
 Standard  
 Vertical Header

Accept Cancel

2. When the field has been added to the template, then populate the new header field with an 'X'.




When this document is parked, this indicator will trigger SAP Workflow.

## Accrual/Deferral – Booking Reversing Documents

On SAP systems 4.6x and newer, GLSU will allow you to book accrual/deferral documents as well as normal postings and parked documents. This is equivalent to transaction FBS1 in SAP. You will need to tell GLSU explicitly that you want to book an accrual document as follows...

1. Choose the "Options" menu item.
2. Choose the "Workbook Tab"
3. Choose the Accrual/Deferral option in the Transaction Type drop-down box.



The screenshot shows the 'GLSU Options' dialog box with the 'Workbook' tab selected. The 'Transaction Type' dropdown menu is open, and 'Accrual/Deferral' is highlighted. The 'Validate Before P' checkbox is checked, 'Check File Upload' is unchecked, and 'Show Posting Messages in Popup?' is checked. The 'Process Active Worksheet Only' radio button is selected. The 'Process Selected Worksheets' radio button is unselected, and the 'Select' button is visible. The 'Process Range of Worksheets' radio button is unselected, with empty input boxes for a range. The 'Formatting' section has 'Auto Resize Columns?' and 'Auto Format?' checked. The 'OK' and 'Cancel' buttons are at the bottom.


You will also have to add two new header fields to your spreadsheet. These fields are only allowed with accrual/deferral spreadsheets. Populating these fields in a normal posting spreadsheet will result in a posting error.

4. Field STODT – Reversal Date Field
5. STGRD – Reversal Reason

## Foreign Currency Adjustments

On SAP systems 4.6x and newer, GLSU will allow you to book Foreign Currency Adjustments documents as well as normal postings and parked documents. This is equivalent to transaction FBB1 in SAP. You will need to tell GLSU explicitly that you want to book a Foreign Currency Adjustment document by...

1. Choose the "Options" menu item
2. Choose the "Workbook Tab"
3. Choose the "Post Foreign Currency" option in the Transaction Type drop-down box.
4. When choosing fields for your template, add any additional amount fields such as DMBTR (Local Currency) and/or DMBE2 (Local Currency 2) and/or DMBE3 (Local Currency 3).



GLSU Options

Workbook | General | Attachments

System : System ZD2 Client 800

(Last Updated) 8/3/2020 3:23:08 PM

Add System

Transaction Type : Post Recurring Entry

- Post Document
- Park Document
- Accrual/Deferral
- Post Foreign Currency
- Post Recurring Entry

Validate Before P

Check File Upload

Show Posting Messages in Popup ?

Process Active Worksheet Only

Process Selected Worksheets Select

Process Range of Worksheets

to

Formatting

Auto Resize Columns ?


Auto Format?

OK Cancel

## Master Data Value Lookups


GLSU allows you to look up certain master data elements inside the spreadsheet. This functionality works similarly to the way search-helps work inside SAP. To see the lists of master data values....

1. Put your Excel cursor on a field
2. Press F4 (or your pick list hotkey as set up in the Options → General tab.
3. Choose the appropriate master data value.



Click F4 to see a list of values for current cell

Line Items:	Posting key	Account
	40	100000
	50	100000



Any of the columns in the "Choose a value" dialog box may be sorted by clicking on the column header. Subsequent clicks on the header row will sort the fields in ascending or descending order.

**NOTE:** If you choose a field that you do not have configured for pick values, then the "Choose a value" dialog will not appear.


For all date fields, a calendar will be displayed to choose an appropriate date. GLSU handles date formatting differences between Excel and SAP, as long as Excel recognizes the cell as a date.



Pick values are available for many CO-PA fields (these are fields which start with "RKE"); however, descriptions and validations are not available for these fields.

Another way to look up the SAP master data values is by using the F4 key on your keyboard. Since many of our customers already use the F4 key for other functionality, the Options menu allows end-users to change the default F4 key to some other unused function key. See below ...

1. Choose the "Options" menu item from the spreadsheet.
2. Choose the "General" tab.
3. Find the "Select a Hotkey for GLSU Pick List Activation" section.
4. Select a new pick list function key from the pull-down list.
5. Check the ALT box if you want to enable, for example, ALT-F4 as your pick list hotkey.




NOTE: The right-click "Pick from drop-down list..." functionality has been replaced by the enhanced pick-list hotkey option.

## Pinning Frequently Used Values

Once a pick list is on the screen note that the first column has the image of a **pin** (📌) in the header. This first column is special in that it allows the user to "pin" frequently used values. This makes finding those often used posting keys or accounts very fast and easy. To "pin" or "unpin" a pick-value simply double-click in the pin column just in front of the desired data value.

Double-click here to "pin" or "unpin" a data value.



PK	D/C	AcTyp	Description
01	db	Cust	Invoice
02	db	Cust	Reverse credit memo
00	db	Cust	Reverse credit memo
03	db	Cust	Bank charges
04	db	Cust	Other receivables
05	db	Cust	Outgoing payment
06	db	Cust	Payment difference
07	db	Cust	Other clearing
08	db	Cust	Payment clearing
09	db	Cust	Special G/L debit
11	cr	Cust	Credit memo
12	cr	Cust	Reverse invoice

Search :




### Hint!

Pins are stored from session to session. They are stored by Company Code. This means that a list of pins stored under Company Code 2000 can be different from those stored under Company Code 3000.

## Validate Before Post/Export Option

The user will probably want to validate the spreadsheet values each time before posting to SAP.



**GLSU Options**

Workbook | General | Attachments

System : System ZD2 Client 800  
 (Last Updated) 8/3/2020 3:23:08 PM  
 Add System

Transaction Type : Post Document

Validate Before Post/Export ?

Check File Upload History ?

Show Posting Messages in Popup ?

Process Active Worksheet Only

Process Selected Worksheets Select

Process Range of Worksheets

to

Formatting

Auto Resize Columns ?

Auto Format?

OK Cancel


1. With your spreadsheet open, choose the "Options" button from the GLSU ribbon menu.
2. Choose the "Workbook" tab.
3. Select the "**Validate Before Post/Export?**" checkbox.
4. De-select the checkbox if you do not want GLSU to go through the step of validating your data against its master data each time you create a .ZGL file.
5. This option works the same using the Post or Export routine.

Each time you either directly post the spreadsheet or export the .ZGL file, the validation routine will be executed.



## Check File Upload History

GLSU helps prevent posting a file twice by allowing you to check the SAP system prior to posting so you can make sure you haven't previously uploaded the same file. It does this check based on the filename of your spreadsheet.



**GLSU Options**

Workbook | General | **Attachments**

System : System ZD2 Client 800  
 (Last Updated) 8/3/2020 3:23:08 PM  
 Add System


Transaction Type : Post Document

Validate Before Post/Export ?  
 **Check File Upload History ?**  
 Show Posting Messages in Popup ?  
 Process Active Worksheet Only  
 Process Selected Worksheets Select  
 Process Range of Worksheets  
 to

Formatting  
 Auto Resize Columns ?  
 Auto Format?

OK Cancel

1. Choose the "Options" menu item from the spreadsheet
2. If the "Check File Upload History?" checkbox is ticked, uploaded under your username, you will receive a message box similar to the one below.



**Posting Results**

MsgType	Posting Results	MsgID
I	This file was previously uploaded!	
I	...creynolds\Documents\GLSU Template.ZGL 2020080410:54:19	100035737
I	...creynolds\Documents\GLSU Template.ZGL 2020080410:54:07	100035736
I	...creynolds\Documents\GLSU Template.ZGL 2020080410:53:55	100035735
I	...creynolds\Documents\GLSU Template.ZGL 2020080410:52:50	100035734
I	...creynolds\Documents\GLSU Template.ZGL 2020080410:52:31	100035733
I	...creynolds\Documents\GLSU Template.ZGL 2020080315:24:19	100035732

OK

3. You will need to rename and save your file and post again.

## Auto-Resize Columns

GLSU has a feature that re-sizes the spreadsheet column widths each time you adjust the spreadsheet using the "Choose Fields" pick list. This feature was added so that fields of various widths are always presented properly on the spreadsheet.

This feature may be overridden at the user's option. Example: If you have custom-formatted your spreadsheet so that it represents a form, you would probably want to turn this feature off.

From the GLSU menu...

1. Choose the "Options" menu item from the spreadsheet.
2. Choose the "Workbook" tab.
3. De-select the "Auto Resize Columns?" checkbox.

## Auto-Format Colors

GLSU will automatically format the colors and appearance of the spreadsheet each time the "Choose Fields" pick list is activated.

However, the user may be using GLSU to emulate a specific form for data entry and may not desire to have the spreadsheet reformatted each time a change is made to the columns. The reformatting setting can be disabled at the user's option.

Turn this feature off if you prefer not to use the gray, blue, white, and green color scheme of the standard templates.

1. Choose "Options".
2. Choose the "Workbook" tab.
3. De-select the "Auto Format?" checkbox.

## Ignore Columns


You may choose to have columns in your spreadsheet which you do not want to post to SAP. For example, you may need a column for calculations which then feed the amount columns in your spreadsheet. Non-postable or blank columns may be added to your spreadsheet which GLSU will ignore when creating the uploadable .ZGL file.

Additional "blank" columns are

To add additional columns from the GLSU menu...

1. Choose menu item "Choose Fields".
2. Select item "<<blank>>" in the pick list.
3. Add as many of these blank columns as are required by your application.
4. Accept the changes.

To



### Hint!

Use blank columns to store Excel formulas for calculations.

You can use the blank columns to hold data used for the metrics needed for allocations.


## Description Columns

Blank columns are great for adding in your own notes and formulas but there is a special purpose "blank" column that you can use to automatically add descriptions to existing columns. Let's use "Posting Key" as an example. A "Posting Key" is just another number in the spreadsheet. Wouldn't it be nice to have a description next to it for clarity and for double-checking your selection?


An added "<<descr>>" field is also known as a **Description Column**. Description Columns work best when the data set to be described is already entered. For our example we will use a GLSU template that has 8 line items already entered. Note that description fields are available for Header fields as well. To create a Description Column, do the following:

From the GLSU menu...

1. Choose menu item "Choose fields".
2. Select item "<<descr>>" under either Header or Items and move it over to the right. You may drag it over if you prefer.



3. When you push or drag a "<<descr>>" field over you will be shown a "Format Description Field" pick list. This list is meant for selecting (by double-clicking) the existing GLSU template field that you would like described.



4. You can add as many description fields as you need and drag them wherever you need them while still in the "Choose Fields" screen.
5. Pressing "ACCEPT" will close the "Choose Fields" screen and insert the "<<descr>>" fields that you have created.

- Note that the Description Column is populated with the requested information. For those descriptions that come up as "refresh required", this means that the master data is missing these values. To resolve this, find and click menu item "Refresh Descriptions".

Line Items:	Posting key	Account	Posting Key Description	- balanced -
	40	100000	Petty Cash - local c	1
	50	100000	Petty Cash - local c	1

- Note how all of the rows that have data (Posting key in our example) are given a description.
- Click on a description cell to see the underlying "`=glsu_description()`" function. While this function could have been added manually, the "`<<descr>>`" description field adds some automation to this process.
- From here on out, if you add more line items, you will need to copy the "`=glsu_description()`" function down to each line entered in order to see the description.

**NOTE:** Even though the "Choose Fields" selection list shows the column type as "`<<descr>>`", what is really going on is that GLSU is adding a "`<<blank>>`" column and automatically filling it with the "`=glsu_description()`" formula. Don't get confused if subsequent visits to the "Choose Fields" screen show "`<<blank>>`" for the description field. This is correct.

## Ignore Rows

You may also need to have rows in your spreadsheet which do not post line items in your document.

These rows could be sub-totals or other items which are used for integrity checks of the document before posting.

Line Items:	Posting key	Account	Posting Key Description	- balanced -	Text	
skip comment ignore	40	100000		80		
	50	100000		22		
	40	100000		10		
	50	100000		68		
				<b>180</b>	Sum	
	Took a summary of the first four rows for a double check					
	40	100000		62		
	50	100000		40		
	40	100000		33		
50	100000		55			

1. In the first column of the spreadsheet, type the words "IGNORE", "COMMENT", or "SKIP". (Note for customers using a default language other than English: These values will be in the native language you have installed and translated.)
2. GLSU will then ignore these rows when creating the .ZGL file.
3. All other rows with data are posted normally.

You can often use native Excel functionality to calculate when a row should be skipped. For example, if the dollar/monetary value of a calculated amount is 0 in column A of your spreadsheet, you could use the formula: `=IF(D8=0, "Skip", " ")`. This could then be copied to all subsequent rows to avoid 0 currency warnings at the time of posting.



### Hint!

Use blank rows to hold subtotals.

This is especially useful for custom form development.



## Multiple Worksheets

GLSU spreadsheets can have multiple worksheets. When posting, each of these worksheets will create a separate SAP document.

When posting, you may wish to post one, all, or a range of these worksheets in your spreadsheet. You could use this feature to have GLSU ignore a worksheet which contains all of your calculations feeding the posting worksheet(s) via formulas.

From the GLSU menu...

1. Choose the "Options" menu item.
2. Adjust worksheet options as required. You can choose to export a single worksheet by choosing option "Export Active Worksheet Only". Choose a range by selecting option "Export Range of Worksheets" and then typing in the range of worksheets in the two fields below (see screenshot above).
3. If you wish to export a selection of specific sheets, choose "Process Selected Sheets" and then press the "SELECT" button.



### Hint!

You can use multiple worksheets to book allocations across company codes. Use a different worksheet for each company.



## The SKIPSHEET feature

There are actually two ways to skip sheets in GLSU. You could select the individual worksheets to post/park using the "Multiple Worksheets" feature documented above. Alternately, you can simply add the keyword "**skipsheet**" in cell A1 on every sheet that you never want to be acted upon by the export, post, or park functions. Sheets marked in this way will simply be skipped over. The feature is great for excluding those sheets that you use for calculations, VLOOKUPS(), and other non-GLSU helper sheets.

## Multiple Documents on a Single Worksheet

GLSU has the capability to post multiple documents on a single worksheet. This is achieved by the "dropped header" concept. In short, any number of header fields can be "dropped" (dragged and dropped in the [Add/Delete Columns](#) function) to the line items.

Most header fields can be dragged from the upper-right box to the lower-right box as shown below.

**Select Fields** ✕

Fields in SAP

Field	Descr
<<blank>>	(blank column)
<<descr>>	(blank column)
DBMON	Recur: Intrvl(Mnths)
DBTAG	Recur: Run Day
DBBDT	Recur: Start Date
DBEDT	Recur: End Date
DBAKZ	Recur: Schedule
XFVHW	Recur: Amounts in LC
XSFHW	Recur: Tax in LC

Fields on Spreadsheet

Field	Descr
BLART	Document Type
BUKRS	Company Code
BLDAT	Document Date
BUDAT	Posting Date
WAERS	Currency
BELNR	Document Number
SGTXT	Text

➔

➜

Fields on Spreadsheet

Field	Descr
NEWBS	Posting key
NEWKO	Account
WRBTR	Amount
SGTXT	Text

Search :

Show Hidden Fields

**GLSU Template Format**

Standard

Vertical Header

Each time a dropped header field changes, a new document will be posted. It is important to note that any header field which changes will trigger a new document, whether it is just one dropped header field, or every dropped header field. If a dropped header field is left blank, it will inherit the last non-blank value.

Four documents will be created due the change in the Reference field in this example.

Header:	Document Type	Company Code	Document Date	Posting Date	Currency	Document Number	
	sa	3000	8/4/2020	8/4/2020	USD		
Line Items:	Posting key	Account	Amount	Text	Profit Center	Reference	Doc.Header Text
	40	100000	1278.15			refdoc1	Same text on all
	50	100000	1278.15			refdoc1	
	40	100000	1602.21			refdoc2	
	50	100000	1602.21			refdoc2	
	40	100000	3543.76			refdoc3	
	50	100000	3543.76			refdoc3	
	40	100000	8872.95			refdoc4	
	50	100000	8872.95			refdoc4	


All four documents will have the same Doc. Header Text

When using dropped header functionality, the balance cell in GLSU will no longer display "balanced". Since there are multiple documents on one sheet, this functionality is not feasible in the context of dropped headers. However, pre-validation will still be performed to ensure each individual document balances.

If an out-of-balance situation occurs, a pre-validation message will be issued. If you then double-click the error, GLSU will highlight the range of amounts on the worksheet in which the out-of-balance condition occurs.

## Multiple SAP Systems

Many SAP users work in an environment where there are multiple productive environments of SAP or development/ testing environments. GLSU gives you the ability to download master data from as many of these environments as required. Each time you download data from a different SAP client, a new and unique file of master data is downloaded to your PC. These files must be refreshed individually.



1. Choose the "Options" menu item from the spreadsheet.
2. Choose the appropriate environment from the dropdown box. This listing is automatically updated each time transaction ZGLSU is run on the SAP client in question.
3. To have more than one choice available in the spreadsheet's Systems drop-down list, you must run the ZGLSU transaction in more than one SAP client.

*Example:* To have both production and testing environment information, you must run the ZGLSU transaction on both the productive and testing boxes. This then downloads two unique files containing master data to your PC.

In order to help distinguish between workbooks for different SAP systems, you may use the SAP system and client formula to display this information on the worksheet. Simply add the formula **=glsu\_sysid()** to any cell. If you change systems in the Options of GLSU the system and client will change automatically. *NOTE:* It may be necessary to add a skip row to avoid a pre-validation error when adding this formula.



### Hint!

The SAP system choice does not take effect until GLSU is logged on to the appropriate SAP system.

GLSU stores each unique SAP system and client's data in a separate .INI on your system.



## Pre-Validations

GLSU gives the user the ability to pre-validate many of the values being keyed as well as other key configuration components such as blocked indicators, posting rules, and many other conditions and constraints to ensure they are correct before they are posted to SAP.

If errors exist in data during posting, time is often wasted in trying to correct these errors.

GLSU lets the user choose the fields to validate against in SAP. The SAP components of GLSU then download these values to the PC, either in an off-line or real-time method depending upon configuration of GLSU. Pre-Validation of data and SAP configuration is a large part of GLSU functionality.

*NOTE:* As of GLSU 4.1, in addition to the validations seen from ZGLSU → Validation Options, pre-validations for GGB0 (Cost Accounting and Financial Account Line item validations ) with sister transactions OKC7 and OB28 respectively are now checked. In addition, all configured coding block checks as defined in table TRWPR usually include the following: PAI exit for customer fields in coding block, asset checks, SD order checks, funds management checks, CO relevant fields, FI-relevant fields, MM-relevant fields, and joint venture checks. These pre-validations in GLSU will drill-back to the error line or row in Excel. (*Technical Configuration Note:* OKC7 and OB28 checks will be performed when activation level is set to either a "1" or a "2").

The fields which are validated are chosen in the ABAP program. See the section in the next chapter to learn how to choose which fields to validate against. By default, in a new GLSU installation all pre-validations are performed (and performed "LIVE") unless otherwise configured.


## Validating the Spreadsheet

After SAP master data values have been downloaded to your PC via the ABAP program, the GLSU spreadsheet can use these values to tell you if you have keyed in erroneous data before posting.

The validation can be performed either off-line (against an .INI that resides on your PC), or real-time (against live SAP data), or a combination of both methods.

To perform a validation...

1. Choose "Validate".
2. If the document does not have master data errors, you will see the No Errors Found dialog box. *NOTE:* If you DO have errors, you fix the errors with the procedure described on the following section...



To perform a validation...

3. Choose "validate".
4. If the document does not have master data errors, you will see the No Errors Found dialog box. *NOTE:* If you *DO* have errors, you fix the errors with the procedure described on the following section...

To correct multiple errors...

1. Choose "Show Validation Again".
2. This will show you the previous listing of errors which were discovered without the overhead of reprocessing the validations. This will shorten the length of time it takes to correct multiple errors on a spreadsheet.

## Show Validation Info

Since validation, pick values, and descriptions can be performed either off-line (against an .INI that resides on your PC) or real-time (against live SAP data) or a combination of both methods, GLSU provides information about the current configuration of these options.

If you are a standard user of GLSU, you will not be able to change these settings, this is done by a Premium user at your company, but you will be able to see how each of the validated items is configured.

To see the configuration of the off-line versus real-time elements perform the following...

**Validation Info** ✕


System

Validation	Source	Entries
Document Types	Stored on PC	57
Company Codes	Stored on PC	142
Accounts	Live from SAP	(90)
Asset	Live from SAP	
Cost Elements	Live from SAP	(24)
Field Status Groups	Live from SAP	(50)
Customers	Live from SAP	
Vendors	Live from SAP	
Cost Centers	Live from SAP	
Profit Centers	Live from SAP	
WBS Elements	Live from SAP	
Business Areas	Live from SAP	
Materials	Live from SAP	
Internal Orders	Live from SAP	
Funds	Live from SAP	
Fund Centers	Live from SAP	
Commitment Items	Live from SAP	
Tax Codes	Live from SAP	
Trading Partners	Live from SAP	
Payment Terms	Live from SAP	
Personnel Number	Live from SAP	
Custom Validations	Live from SAP	

1. Select "Show Validation Info"
2. If the validation info is stored locally on your PC you will see "Stored on PC" along with the number of entries.
3. If the validation info is retrieved in a real-time fashion from SAP you will see "Live from SAP"
4. For non-static entries or entries which have a large number of records, you may want to consider switching to live for better performance. For static entries, you can reduce SAP application server load by configuration the elements to be stored on the PC (.INI).

## Correcting Errors in the Spreadsheet

If the validation performed in the previous section finds an error, a dialog box will display which shows the errors found. The picture below shows an error involving an incorrect GL account.



If multiple errors exist, they will all show in the dialog box shown above.


To correct the problem...

1. Select the error in question by clicking on the appropriate line.
2. Once the item is selected, click on the "Go To Error" button at the bottom of the screen. The dialog box will then disappear and your cursor will be placed in the cell containing the error. This is especially useful for long entries.


Custom Validation errors, if utilized, are denoted with a "CV-E" in front of the error message, indicating Custom Validation – Error.

You can view extended SAP message information (long text) for all messages EXCEPT when "GLSU" or "CustVal" is in the "Source" column. To view the "Source" and other values select "More".

For ease of error processing, you may also copy to the clipboard or insert a worksheet of errors from the Validation Errors dialog. To do this simply right-click and then select the appropriate option.



After insertion of an “errors” worksheet, you may use the hyperlinks (In Excel 2000 or later) at the left of the newly created worksheet.



Please note that these messages are only valid until changes are made to the contents of the worksheet or the worksheet name is changed.

It is also possible to print a list of errors from this worksheet. Simply use the standard File → Print functionality from within Excel.

Note: If the error is an “out of balance” situation, GLSU will *not* know which line item is incorrect. You will have to find the error manually and correct it before posting.

**Conditional Formatting of pre-validation messages within the cells.**

In addition to highlighting pre-validation errors in the dialog pop-up and the Show Validation Again features, GLSU contains functionality which allows the pre-validation messages to be shown in-line via conditional formatting within the cells.

To enable this feature, select the “Options” ribbon button, and then the “Validation” tab. Check the “Show Validation Markers” checkbox and press “ok”.

When performing a “Validate”, the regular GLSU pre-validations will run. If the “Show Validation Markers” are enabled and you have errors, your sheet will look similar to the worksheet below. You will need to single-click on the highlighted cell (and other cells) to view the error.

Document type	Company Code	Document date	Posting date	Currency	Note	Payment advice infor
sa	3000	5/1/2019	5/1/2019	usd		
Posting key	Account	Amount	Text	Doc.header text	Notes	Posting Messages
40	100000		1	a	testline8	
50	100000		1	a	testline9	
40	101d		1	b		
50	101e		1	b		
40			1	c	testline12	
50			1	c	testline13	

**GLSU Validation**

[513] Account 101D  
not found in  
Company Code 3000

You can clear the validation makers by selecting the “Clear Validation Markers” checkbox below the “ok” button on any validation screen and then press “ok.”

Note: Please note that validation markers will automatically be cleared upon modification of the GLSU sheet via “Choose Fields” and upon exit from Excel. It should also be noted that certain manual manipulation of the worksheet may invalidate the conditional formatting. You should always be using “Choose Fields” to modify the layout of a GLSU worksheet as has always been the case. In the event of a modified sheet utilizing “Choose Fields”, simply run the Validation again and new markers will be shown.

## Duplicate Entry Consolidation

GLSU can be configured to consolidate duplicate spreadsheet records for simplicity, faster processing, and reduction of document size. To configure this option, select the "Options" ribbon button, go to the "Consolidation" tab and confirm the option is checked.

A manual "Validate" action will cause the consolidation to occur if the option is active and valid duplicates are found. Please note a "Validate Before Post/Export" option under "General" in "Options" will NOT cause consolidation to occur. GLSU will create a new sheet with the consolidated data. Dropped header fields will still inherit their up-spreadsheet values (a blank dropped header field will be summarized with the last populated value in the sheet for consolidation purposes). Blank fields in the line items will be treated as a separate, distinct, and unique value and given their own consolidated line item. All currency/quantity fields are summed together.

The newly created sheet is in the GLSU format and may be used for posting/parking.

Below is a consolidation example:

Source -

Doc.Header Text	Posting key	Account	Amount	Text
doc1	40	100000	100	
	40	100000	100	
	40	100000	100	group1
	40	100000	100	group1
	50	100000	400	
doc2	40	100000	200	group2
	40	100000	100	
	40	100000	100	
	40	100000	100	group2
	50	100000	500	

Result after consolidation -

Doc.Header Text	Posting key	Account	Amount	Text
doc1	40	100000	200	
	40	100000	200	group1
	50	100000	400	
doc2	40	100000	300	group2
	40	100000	200	
	50	100000	500	


## Retrieve Validation Data

GLSU will allow you to retrieve the SAP master data you have chosen to validate against either as an off-line process, or real-time (live) basis. To download the SAP master data into your PC .INI file...

**NOTE:** The system will automatically refresh your master data each time you log in to SAP. If you make changes in SAP during your session it is best to click on "LOGOUT" and let GLSU refresh the master data again on the next login.

From the GLSU menu...

Choose the "Retrieve Validation Data" menu item.




You will only be able to retrieve validation data via this method for datasets which are 5 megabytes or less. For larger off-line datasets, you should login to SAP, execute transaction ZGLSU, and select "Send Validation Now" or configure more live validations to reduce the PC footprint.

The appropriate SAP master data values and texts, along with SAP fields and structures, will be downloaded to your PC. For most GLSU implementations you will only need to perform this function when you have added a new document type or legal entity (company code).

GLSU will allow you to insert SAP master data texts into your spreadsheets for presentation or documentation purposes. You will put the GLSU descriptions into a blank column of your spreadsheet (see the "[Ignoring Columns](#)" section). Master data texts can be added in either the detail or header sections.

## Adding Master Data Texts

In the example below, Column D is a blank column. Column D contains an Excel formula "=GLSU\_Description(C9)". The xx in the formula is a reference to another cell in the spreadsheet that contains a GLSU master data element (in this case, the account value in Column C). The formula in Column D will return the Account master description for the account shown in cell D9.




Header:	Document Type	Company Code	Document Date	Posting Date	Currency	Doc.Header Text	Document Number
SA		3000	7/8/2020	7/8/2020	USD	Header text	
Line Items:	Posting key	Account	Posting Key Description	- balanced -	Text		
	40	100000	Petty Cash - local c	80			
	50	101000	Petty Cash - Freight	22			
	40	100009	Petty Cash - custome	10			
	50	1101100	Accum Depr - P & E	68			

The "=GLSU\_Description(xx)" formula will work for any master data element that GLSU pre-validates including GL Accounts, Vendors, Cost Centers, Profit Centers, etc. (except Field Status Groups).

Specific steps to include master data texts in your spreadsheets:

1. Make sure your GLSU .INI file contains the master data texts by choosing the "Text" checkbox for all the appropriate fields in the ZGLSU transaction. This option is valid if you are performing the off-line method of retrieving descriptions. If you are retrieving descriptions in a real-time method, this configuration option has no relevance. From the ZGLSU Transaction in SAP, select "Validation Options".



2. Make sure you re-download your .INI file after making your text selections.
3. Insert a blank column into your spreadsheet where you want the master data text to appear. For an explanation of how to add a blank column, see the section on [Ignoring Columns](#).
4. Optional: Type in a column description into your blank column header.

- In the blank column, type the formula "=glsu\_description(xx)" where xx equals the cell where the master data element is entered. In this example, the E column is being referenced.

Using descriptions with a live setting in GLSU...

If you are using live descriptions for certain fields in GLSU, you may need to perform a "Refresh Descriptions" after utilizing the GLSU description function.

If this is the case, the text "refresh required" will appear in each cell. Upon selecting the "refresh descriptions" options in GLSU, all of descriptions will be updated from SAP.

Account	Posting Key Description
110000	refresh required
133000	refresh required
110000	refresh required
133000	refresh required

## Inter-Company Transactions

Intercompany transactions are posted using GLSU in the same way they are done through the on-line screens. The user will populate field NEWBK the "New Company Code" field in GLSU if they want the specific line item to go to a different company code than the one listed in the header of the transaction.

**IMPORTANT: You cannot populate the "NEWBK" field in the first line of a GLSU spreadsheet.**

The first line of the spreadsheet **must** be booked to the company code shown in the header of the spreadsheet. This is a requirement of the SAP interface used by GLSU and cannot be changed.

GLSU will use the contents (if any) of the NEWBK field when determining if an account or other master data item is relevant to that company code.

GLSU will use the clearing configuration already set up for your company. The inter-company clearing process must be properly configured for GLSU to work correctly.

Populating the NEWBK field will affect all subsequent line items.

*Example:* You are attempting to post a 5 line document. You use company code 1000 in the header and want the 4<sup>th</sup> and 5<sup>th</sup> lines to go to company code 2000. The spreadsheet should be populated as shown below. Both lines shown in yellow will be booked to company code 2000.

Header:	Document Type	Company Code	Document Date	Posting Date	Currency
	SA	3000	7/8/2020	7/8/2020	USD
Line Items:	Posting key	Account	Posting Key Description	- balanced -	New co.code
	40	100000	Petty Cash - local c	65	
	40	100000	Petty Cash - local c	15	
	50	101000	Petty Cash - Freight	22	
	40	100000	Petty Cash - local c	10	2000
	50	101000	Petty Cash - Freight	68	



Withholding tax fields are available for customer/vendor account types only. If you place withholding tax lines following any line item other than a customer/vendor line, you will receive a validation error when validating.

## Document and Line Item Long Texts

GLSU allows you to input document and line item long texts on each document. These text fields are not the same thing as the document header text (BKTXT) or the line item texts (SGTXT). Long Texts allow you to input multiple-line formatted texts. Long Texts for Park Documents are also supported.

- Header Long Text field names begin with "BELEG"
- Line Item Long Text field names begin with "DOC\_ITEM"

These are in the header and detail sections, respectively, of the possible fields listing in the "Select Fields" dialog box (shown below). *NOTE:* You will see a listing for each of the Header and Line Item Long Texts fields that you have configured on your system. You will need to ask your SAP Administrator which the appropriate field is to populate.

- Configure Header Line Texts using transaction OBT8
- Configure additional Line Item Texts using transaction OBT10

After you have made your configuration changes, you will need to either go to SAP transaction ZGLSU and do Send Validation Now, or from Excel, select Utilities → Retrieve Validation Data in order to be able to access the updated text fields from the GLSU spreadsheet.

Select Fields
✕

Fields in SAP

Field	Descr
KURSX	MD Exchange Rate
KURSX_M	MD Exchange Rate
BELEG0001	Correspondence
BELEG0002	Note
BELEG0003	Payment advice infor
BELEG0004	Remarks EBPP
BELEG0005	Correspondence EBPP
BELEG0009	dummy
BELEGRE01	Correspondence

Header Fields

➔

➜

Fields on Spreadsheet

Field	Descr
BLART	Document Type
BUKRS	Company Code
BLDAT	Document Date
BUDAT	Posting Date
WAERS	Currency
XMWST	Calculate tax
BKTXT	Doc.Header Text
BELNR	Document Number

Detail Fields

Field	Descr
DISKP	Discount % rate
DISKT	Discount days
DMBE2	LC2 amount
DMBE3	LC3 amount
DMBTR	Amount in LC
DOC_ITEM0001	Notes
DTAMS	DME Indicator
DTAWS	Instruction key
DTWS1	Instruct.kev.1

➔

➜

Field	Descr
NEWBS	Posting key
NEWKO	Account
<<blank>>	(blank column)1
WRBTR	Amount
KOSTL	Cost Center
MWSKZ	Tax code
TXJCD	Tax Jur.

Search :  Search Reset

Show Hidden Fields Accept Cancel

**GLSU Template Format**

Standard

Vertical Header

A note on formatting long texts...

- 1. The semi-colon ; is used as a newline character. If you wish to start a new line, you may either type the semi-colon character or choose Alt-Enter from your keyboard. The semi-colon character will NOT be displayed in the long text.
- ~ 2. Use the tilde ~ character on either side of a formatting option. The formatting characters available on your system may vary from those shown below. See *Example* graphic below....


NOTE: The total length of long text lines may not exceed 72 characters; this is an SAP hard limit which cannot be changed by GLSU. Long texts are also limited to non-split documents only, but are available for multi-sheet and dropped header.

If the posting timeout is reached in GLSU as set by the Premium User Functions → Maintain Technical Options → Job Wait Time setting, long texts will NOT be updated for the posted worksheets. SAP cannot create a link to the document because no document numbers will be recorded until the SAP job runs.

**EXAMPLE: Formatting**

Separate each of the formatting options with the ~ (tilde) character as shown. New lines can be entered either with the semi-colon or in Excel using Alt-ENTER

1	A	B	C	D	E
3	Header:	Document type	Company Code	Document Date	Posting Date Currency
4		SA		2015	1/2/2015 USD
5			* Default Paragraph		
7	Line Items:	Posting key	B	Paragraph, justified	- balanced - Notes
			C	Centered	~C~This text will be centered in the editor;This line will be the second line since there is a semi-colon;This line will not be centered.
8			L	Paragraph, left-aligned	
9			4C	Continuous Text	term 10
10			5C	Extended Line	ense 10
			=	Raw Line	
			(	Line Feed	
			/	Line Feed and Extended Line	
			/(	Line Feed and Raw Line	
			/:	Command Line	
			/*	Comment Line	



Display Notes: 3000010002,5352015001 Language EN

.....  
 C This text will be centered in the editor  
 \* This line will be the second line since there is a semi-colon  
 \* This line will not be centered.

## Double-Byte (East Asian Languages)

GLSU supports the use of double-byte character sets. If you intend to use GLSU with one or more double-byte character sets you will need to make a couple of changes detailed below.

You will need the "Unicode RFC Libraries" on the desktop in the SAP GUI. This can be found in the "Development Tools" section during the SAP GUI installation procedure for 6.40 and earlier. For SAP GUI 7.10 or later this is automatic. If you are unsure what you have installed, please contact the department responsible for SAP GUI deployment.


First, open your SAP GUI settings and open the "Code Page" settings. Under Upload/Download Encoding, you will need to select "Unicode (UTF-16LE)" and select "OK". Repeat this step for each double-byte SAP system you will use with GLSU. **NOTE:** If you cannot change these settings, you may need to speak with your desktop administrator group or the group who handles the deployment and maintenance of the SAP GUI.

Second, if GLSU is already installed, open Excel and perform the following steps:

From the GLSU menu...

1. Choose "Options".
2. Choose "General" tab.
3. Turn "Unicode File Handling" to "On".
4. Select "OK".

After you have performed the steps necessary to enable support for double-byte character sets, you can ensure GLSU is able to display these sets by performing a "Pick Values" on any supported field. Pick a company code which you know contains double-byte character sets. You will see a display similar to below. In this example, both Korean and English texts are displayed simultaneously.



## Document Attachments (BDS)

GLSU supports the attaching of the spreadsheet file to the posted documents in the SAP BDS (Business Document Service) for supplemental documentation and audit purposes. Regular postings, parking, accrual/deferral and posting foreign currency transaction types are all allowed with the document attachment feature. There are several ways this functionality can be configured.

*Important Note:* Any Premium or Standard user must select the "Send Validation Now" option from the ZGLSU transaction for these settings to take effect.

From a Premium user perspective, you can set the options so certain options are always enforced or can be determined by the end user.

From the ZGLSU menu (logged-in as a GLSU Premium user) in SAP...

1. Choose "Premium User Functions"
2. Choose "Maintain Technical Options"

### Attaching Documents

Max Attachment Size	<input type="text" value="10,000"/> K	Use link for subsequent attachments	<input checked="" type="checkbox"/>
<input type="radio"/> YES, user is forced to attach the workbook <input type="radio"/> NO, the user is not allowed to attach the workbook <input type="radio"/> PROMPT the user about attaching the workbook <input checked="" type="radio"/> USER, let the user decide about attachments			
Description:	<input type="text" value="Uploaded by &lt;LoginID&gt; &lt;Filename&gt;"/>		
( Description for attachments : Press F1 for help )			

If you choose "YES", the spreadsheet will always be attached to all SAP document numbers.

If you choose "NO", the spreadsheet will never be attached to the SAP document.


If you choose "PROMPT", the user will be prompted whether or not to attach documents. *NOTE:* The user will not be able to set options in this setting. They will always be prompted what action to take.

If you choose "USER", the options on the end-user desktop will be enabled and the user will be able to set their own options accordingly.

You can also configure what description will be used in the BDS for the attached documents. This can be a combination of hardcoded text elements and parameters from both the workbook and the SAP system. For a listing of the available parameters, put your mouse cursor on the description field and select "F1". The next screen will be shown.

**Max Attachment Size:** Allows the Premium user to set the maximum attachment size for standard users. This allows very large workbooks from being attached in order to manage the load on the SAP database.

**Use link for subsequent attachments:** GLSU can attach a workbook to the first document produced and then attach a link to that workbook on any subsequent documents. This saves space in the SAP database. It is ON by default. Some installations may not be able to take advantage of this feature due to SAP version and/or configuration.



Please keep in mind that reserved words must be enclosed in angle brackets ( < > ). If they are not, the literal word will be substituted in the description. *NOTE:* These selections must be typed in. The display is only to inform you of what options are available.

If the "USER" option is selected by the Premium user, all of the options available for storing documents will be in the control of the standard user.


From the GLSU menu in Excel...

1. Choose "Options".
2. Select the "Attachments" tab.

*NOTE:* This tab will only appear if the Premium user has selected an option *other* than "NO".

If the posting timeout is reached in GLSU as set in the Premium User Functions → Maintain Technical Options → Job Wait Time setting, BDS document attachments will NOT be updated for the posted

worksheets. SAP cannot create a link to the document because no document numbers will be recorded until the SAP job runs.



From the Options screen, you can select a configuration that suits your needs. If the Premium user has selected "forced" options, that setting would be displayed here and the other options would be disabled.

**Attachments with split documents:**

When a GLSU document splits based on the "Maximum input lines per Doc" as configured in transaction ZGLSU, GLSU will attach the spreadsheet to all of the split documents.

**Attachments with inter-company documents:**


When a GLSU document is an inter-company document (denoted by NEWBK in your template. GLSU will attach the spreadsheet to the header document ONLY. A logical link exists in SAP under the intercompany document number.

**Excel/GLSU functionality when inside the Business Document Navigator:**


If you wish to perform additional functions with it rather than just using the Excel functionality within the Business Document Navigator, we always recommend extracting the source document from the BDS. If GLSU descriptions or other GLSU functions contain a "#NAME", select "Reset Links" to repopulate the cells.

An additional feature is available to allow the user to see the workbook size on disk. This is especially useful when the "Max Attachment Size" has been set low. Any workbook over this maximum amount will not be attached.


1. Click on the "View Workbook Size Report" button.




2. The user will be presented with a quick summary report...



3. Click on the "Show Sheet Size Report" button...



4. This report will show each sheet and its approximate size in bytes. It can be very helpful to find those over-size sheets and deal with them before posting and attaching.




5. Clicking on the sheet name will show it as the active sheet for your review.


## Attaching Multiple Documents and Files

In versions of GLSU prior to 6.2, only the current worksheet was attached to the posted document. When a document posts, the current worksheet is presented for attachment and cannot be deleted. However, the "Multiple Attach" feature allows the user to select one or more *additional* documents to be attached. Practical examples might be additional workbooks, Word documents, images of receipts, delimited source data text files. All file types are permitted.

If the user has selected to attach documents (discussed earlier in this BDS section), then the following dialog will display *before* the document post process begins. This allows the user to add/delete files of any kind. As noted, the only document that cannot be removed from the list is the current workbook. Here is what the user dialog looks like:



Simply add the files using the pop-up file browser. GLSU keeps track of the files and their sizes. Notice the "Max Allow Size" value. This is set by a Premium User in the ZLGUI under the "Premium User Functions" screens and is the same for all GLSU users. The "Remaining" value helps users to keep track as they add files. Exceeding this value will produce a clear error.



Double-clicking a file will give the user the opportunity to remove a file from the attachment list. Note that the user is not given this option when double-clicking the required worksheet file.

After the document is posted, another dialog will display showing the attachment process and results. All files can be found attached to the posted SAP document.


As of GLSU 7.0, Excel workbooks downloaded from SharePoint, OneDrive, or any other cloud-based file repository are now able to attach to posted or parked SAP documents. Additional files such as (but not limited to) images, additional Excel workbooks, PDFs, and Word documents can also be attached. However, the additional files must be present on a local or network drive. The file attachment dialog provides a file browser to help you locate files and add files to the attachment list. If these additional files are stored on a cloud-based repository, they would need to be downloaded to your local or network drive first in order to be visible to the file attachment dialog. The current workbook, as always, is attached and cannot be removed from the attachment list.

## Integration with EWF (Easy Workflow)

GLSU supports integration with EWF, another InsightSoftware solution offering a robust workflow solution. The following describes features and functionality ONLY available if you are also using EWF.

When using an integrated GLSU-EWF solution, certain functions and the ability to update certain fields within the spreadsheet will be unavailable during the EWF process. For instance, during an approval process, the spreadsheet will be protected as a control, to ensure the contents and data of the spreadsheet do not change from the original used at the very beginning of the workflow.

While certain context sensitive fields and functions will be disabled to the user, this does not mean no fields will be updated during an EWF enabled GLSU process. Please refer to the screen below.



Header:		Document Type	Company Code	Document Date	Posting Date	Currency						
sa			3000	8/3/2022	8/3/2022	USD						
Line Items:	Posting key	Account	Amount	Text	Doc.Header Text	Special G/L ind	Document Number	Material				
	40	100000		1		1	3000 100036873					
	50	100000		1								
	40 x			1		2	SAP ERROR					
	50	100000		1								
	40	100000		1		3	3000 100036874					
	50	100000		1								

In this case, 3 document postings were attempted, but only 2 were successful. Since the 2 successful documents represent a logically completed unit of work (a balanced and error free journal posting), they are posted. The 3<sup>rd</sup> document displays "SAP ERROR" since a backend SAP error was encountered which the pre-validations did not catch. In this case, this workflow is sent back to EWF for further processing according to the EWF rules which have been configured. Once resolved, it will progress through the workflow again and appear as in the screen below. Again, only the user with create/edit authority in EWF will be able to modify the entry.

AutoSave  Off Repost test ZD2.xlsx Search (Alt+Q)

File **Home** Insert Page Layout Formulas Data Review View Add-ins Help GLSU

Clipboard Font Alignment Number Styles

H23

Header:	Document Type	Company Code	Document Date	Posting Date	Currency			
	sa	3000	8/3/2022	8/3/2022	USD			
Line Items:	Posting key	Account	Amount	Text	Doc.Header Text	Special G/L ind	Document Number	Material
	40	100000		1		1	<a href="#">3000 100036873</a>	
	50	100000		1				
	40	100000		1		2	<a href="#">3000 100036875</a>	
	50	100000		1				
	40	100000		1		3	<a href="#">3000 100036874</a>	
	50	100000		1				

Note: Special EWF processing for errored documents will occur in regular, cross company (inter-company) and dropped header documents. For split documents (individually documents with more than 999 lines items), any errors will need to be corrected like they are with regular GLSU processing in the SM35 batch session. This is because the balancing entry for each document is contained only in the session (not in the spreadsheet). Furthermore, the integrity of the spreadsheet needs to be maintained for auditability purposes, so modification does not make sense.

## Closing Metrics Report/Dashboard

Starting in version 23.1, GLSU will generate an in-workbook worksheet which contains select GLSU document processing metrics. This report can be run for a single or dual periods and for yourself or all GLSU users (premium and standard if "all" is selected).

From the GLSU menu in Excel...

1. Select "Initialize"
2. Select Radio button "Create Run Statistics Sheet"
3. Select "ok"
4. Enter your from Date/Time selects for a one or two period report
5. Select "all" or your user ID
6. Select "ok"
7. A new sheet is generated starting with "Statistics\_Sheet"

If you ran a single period report the sheet will contain contents similar to the following:


Date	UserID	Company	Docs	Time	Mean
12/12/2022	TESTUSER1	3000	6	1:22	0:14
12/21/2022	TESTUSER1	3000	1	0:05	0:05
	TESTUSER2	3000	4	0:38	0:10
Totals:			11	2:05	0:10

If you ran a dual period report, the sheet will have two reports displayed side-by-side and addition graphical charts showing a percentage comparison of the data.

You can use this report to gauge processing volumes and times between close periods. You can also run it during a close cycle to quickly spot anomalies in processing which may stray from expected norms.

## GLSU SAP Features

Besides posting your .ZGL file to SAP, the GLSU ABAP program also controls many other options.



**Spreadsheet Upload Parameters**

PC Spreadsheet Output File: C:\Users\lcreynolds\Documents\GLSU Template.ZGL

Batch Job Name: FI-GLSU-REYNOLDSC

BDC Session Name: FIGLSU No Data Char /

Maximum Input Lines per Doc: 940

Buttons: Balancing Account Info, Append Counter to Ref Doc?, Save Settings

**Upload Control**

Check Upload History?  Show Upload History Clear Upload History

Delete .ZGL file after upload?  Print Upload History

**Validation File Options**

Refresh Validation with Upload  Send Validation Now Validation Options

Download a spreadsheet template Download GLSU Add-In

Premium User Functions

Standard Users will not see the "Premium User Functions" button shown above. Only Premium Users will see this option on the screen.

The following pages explain the ABAP functionality in greater detail.


## Setting your GLSU Validation Options

The GLSU ABAP program will allow you to configure the GLSU validations to your requirements.

The GLSU ABAP program can be accessed by typing transaction "ZGLSU" in the box at the top of your SAP GUI.

Master data may be downloaded to your PC each time you run the ABAP on an *ad hoc* basis or in a real-time (live) fashion.

You may individually select or de-select certain SAP master data items as you require. For example: if you never post to customers or profit centers, de-select those items, and your validation update process will execute faster when in offline mode.




Select the button that says "Validation Options" in the ZGLSU transaction.

The following explains each of the fields in the Validation Options dialog box...

1. **Master data checkboxes:** Activate these checkboxes if you wish to download these master data values to your PC.
2. **Text checkboxes:** Activates these checkboxes to download the text values (labels) for the associated master data value. These default to the OFF position. By turning these on, you can see a "search-help" dialog box in the Excel spreadsheet. See next page.
3. **Premium Only - Suppressed / Required / Optional radio buttons:** If you are a Premium-level user, you will have the option to make selected validation fields either Suppressed/ Required or Optional. This is similar to the way SAP Field Status Groups works. By Suppressing or Requiring individual fields, users will not have the option to make their own choices about whether they validate for these fields or not. These radio button selections affect the entire GLSU installation for your SAP system and affect every user. Standard Users will not have the capability to change these selections. These radio buttons also have no relevance when a master data item is selected to be "Live".
4. **Premium Only - Off-line (.INI) or Real-time (Live):** These radio buttons will tell GLSU the source for pre-validations, pick values, and descriptions. If you choose off-line, all pre-validations, pick values and description values will come from the off-line file that is sent to your workstation. If you choose "Live", all pre-validations, pick values and descriptions will come from SAP in real-time. The more "Live" validations you configure, the smaller the PC footprint.
5. **Company Codes to Validate:** Choosing a range of company codes will limit all master data values to these ranges of companies (when the validation is set to the .INI setting, this is not valid for real-time validations) If there are company codes at your organization which you never use or post entries to, then omit them from your selection here. Those values will not be saved on your PC's validation file.
6. **Sort Fields Radio Button:** This radio button controls the sort order of the pick list in the GLSU spreadsheet.


7. **Save Changes:** You must click on the "Save Changes" button for GLSU to store your selections.



You can also select ranges of master data to be sent to the .INI file. This will allow you to exclude ranges of master data that you do not normally use.

For instance, if you do not use all the company codes which have been configured for your organization, you can limit the range of company codes to a specific range or list of individual values. This will work for each of the master data elements that GLSU validates.

In short, if you do not use the data item, do not send it to the .INI file. This will improve the processing performance of GLSU.




## Processing "Export" Files

GLSU "remembers" all the settings you used the last time you posted a document through GLSU. Every time you run ZGLSU, the filename, batch log name, etc., will be auto-populated with the values from your last posting. You simply edit these values as necessary, then run the program.

**Spreadsheet Upload Parameters**

PC Spreadsheet Output File	C:\Users\GLSUDemo\Documents\GLSU Template.ZGL	
Batch Job Name	FI-GLSU-REYNOLDSC	
BDC Session Name	FIGLSU	No Data Char /
Maximum Input Lines per Doc	940	<input type="button" value="Save Settings"/>
<input type="button" value="Balancing Account Info"/>		
<input type="checkbox"/> Append Counter to Ref Doc?		

**PC Spreadsheet Output File:** If you need to search your hard drive, you can click the file dialog button, then use the Standard Windows dialog box to locate the .ZGL file...

Spreadsheet Upload Parameters		<a href="#">Click here for file browser</a>
PC Spreadsheet Output File	<input type="text" value="C:\Users\GLSUDemo\Documents\GLSU Template.ZGL"/>	

## Maximum # of Document Line Items



### Hint!

If you are posting to accounts which use taxes, you may want to limit your maximum input to 150 lines.

SAP books multiple line FI lines for accounts using taxes.

You can have GLSU limit the number of lines which are posted on a given entry. You may want to do this because your entries are longer than 999 lines (SAP's internal limit) or because you are posting documents with taxes (which book more FI line items than are entered by the accountant).

1. **Maximum Input Lines per Doc:** This parameter controls how many lines each SAP document will have. When this limit is reached, GLSU will start a new document until the lines are fully posted.
2. **Append Counter to Ref Doc?:** You have the option to auto-increment each document if more than one document is posted. This sequential counter is placed in the last digit of the reference doc field.
3. **Balancing Account Info:** Clicking on the "Balancing Account Info" button will display the following dialog. Enter the appropriate posting values for your balancing account and save.

Balancing Account Info

☰
Balancing Posting Information
✕

Balancing Account	<input style="width: 80%;" type="text" value="194004"/> <input style="width: 15px;" type="button" value="📄"/>
Debit Posting Key	<input style="width: 40%;" type="text" value="40"/>
Credit Posting Key	<input style="width: 40%;" type="text" value="50"/>
Business Area	<input style="width: 30%;" type="text"/>
Allocation	<input style="width: 60%;" type="text"/>
Cost Center	<input style="width: 40%;" type="text"/>
Profit Center	<input style="width: 40%;" type="text"/>
Line Item Text	<input style="width: 90%;" type="text"/>

Save Balancing Info


Save Defaults for All Users

Reset for All Users

↻
🔍 Check
📄
✕


## Upload File History

The second section of the ABAP lets you view the files you have previously loaded using GLSU. GLSU can prompt you if you are attempting to load the same file name in consecutive attempts. GLSU can also delete the upload file after processing (if this option is chosen) to prevent the same file from being loaded multiple times erroneously. This is a good option to leave ON. GLSU will also delete all posting history attached to your ID if needed.




The following explains each of the fields in the Upload File History section...

1. **Check Upload History:** Leave this checkbox on if you want GLSU to check its history to potentially detect erroneous double-postings of entries and prompt you if you want to continue. If the checkbox is ON and GLSU does find the file in its internal history, it will stop the posting process. You will need to rename the .ZGL file or turn this checkbox OFF to continue.
2. **Delete .ZGL file after upload:** Leave this checkbox on if you want the GLSU ABAP to physically delete the .ZGL file from your PC after posting. This will eliminate any chance of an erroneous double-posting.



File Path	File Name	Date	Time	SAP Document Number
...creyno1ds\Documents\GLSU Template.ZGL	GLSU Template.ZGL	08-04-2020	10:54:19	100035737
...creyno1ds\Documents\GLSU Template.ZGL	GLSU Template.ZGL	08-04-2020	10:54:07	100035736
...creyno1ds\Documents\GLSU Template.ZGL	GLSU Template.ZGL	08-04-2020	10:53:55	100035735
...creyno1ds\Documents\GLSU Template.ZGL	GLSU Template.ZGL	08-04-2020	10:52:50	100035734
...creyno1ds\Documents\GLSU Template.ZGL	GLSU Template.ZGL	08-04-2020	10:52:31	100035733
...ds\Documents\GLSU3 VJE Test Cases.ZGL	VJE Test Cases.ZGL	07-07-2020	14:44:45	100000923

3. **Show Upload History:** Clicking on this button will display the dialog box shown above. It shows files which have been posted to SAP under your SAP login ID. It shows file name, date, time and SAP document numbers.
4. **Clear Upload History:** Clicking on this button will delete ALL history from SAP about what files have been loaded under your ID.
5. The **"Print Upload History"** option will display an SAP printer-friendly version of the listing (see below).



The screenshot shows a SAP report window titled "Z Option : GLSU , Print History". The report header includes "GLSU Upload History Report", "System: ZD2", "Client: 800", and "User ID: REYNOLDSC". The report content is a table with columns for "Filename", "Date", "Time", and "Document #".

Filename	Date	Time	Document #
...creynolds\Documents\GLSU Template.ZGL	08-04-2020	10:54:19	100035737
...creynolds\Documents\GLSU Template.ZGL	08-04-2020	10:54:07	100035736
...creynolds\Documents\GLSU Template.ZGL	08-04-2020	10:53:55	100035735


## Spreadsheet Templates

Spreadsheet Templates can be stored on your SAP server. This functionality allows the efficient distribution of templates to your SAP users. It also allows for your users to get a quick head-start when using GLSU for the first time.


Standard Users can download the templates. Premium Users can Download, Upload, Rename and Delete the templates which you have stored. The following pages explain the Premium User functionality in greater detail.

DOWNLOADING a template from SAP to your PC is an easy process. There are two ways to do this. You can download the template from the SAP ZGLSU transaction or from the front-end. Let's look at the GLSU front-end method first.


1. Start by clicking on the INITIALIZE button.




2. Click on OK to bring up a list of templates...



3. Select a template by clicking on it.




4. The GLSU system will pop-up a file explorer screen. Use this to place the template file wherever you like on your system. You can change the name at this time to something that suits your workflow.



5. The end result will be a fully formed template, possibly partially filled in by your Premium user with required field data.

6. Make whatever modifications you need to: add lines, change dates, etc., and post or park the document as usual. The template is simply meant as a starting point to maintain some consistency from document to document.

The alternate way to select and download templates is by using the ZGLSU transaction.




1. Click the "Download a spreadsheet template" button from the ABAP program ZGLSU.
2. Highlight the appropriate template and click the "Choose" button.
3. Use the standard Windows dialog box to choose a file name and directory on your PC to store the file. Click the "Save" button when finished.

Premium Users will be able to maintain the Spreadsheet Templates that are stored on your SAP system. Premium Users will be able to upload new templates from their PC to SAP. Premium Users will also be able to rename the templates which are stored on the SAP server. If you do not have access to this functionality, you will need to be set up as a Premium User, or have your Company's Premium User do this for you.


NOTE: Templates are not changed on the SAP server. Changes which need to be made to the structure of the template must be done inside Excel. Once saved, the edited spreadsheet file can then be uploaded to SAP.

To access this functionality...

1. Click the "Premium User Functions" button on the ABAP screen transaction ZGLSU.
2. Click the "Maintain Templates" button
3. Click the add, rename, or delete buttons, see instructions below.



The following pages explain how to upload, rename, and delete the GLSU templates which are stored on your SAP server.



**Hint!**

The SAP system choice does not take effect until GLSU is logged on to the appropriate SAP system.

GLSU stores each unique SAP system and client's


data in a separate .INI on  
your system.

To UPLOAD a new Spreadsheet to the SAP server:


1. Click the Upload Template icon.



2. Locate the spreadsheet on your PC using the standard Windows dialog box shown below. When found, click the "Open" button.



3. Use the following dialog box to name the spreadsheet template on your SAP server.



4. Click the "Check" icon when finished.




To RENAME a Spreadsheet Template which is already stored on your SAP server, perform the following steps....

1. NOTE: This functionality is only available to Premium Users.
2. Click the "Premium User Functions" button from transaction ZGLSU.
3. Click the "Maintain Templates" button.
4. Highlight the appropriate spreadsheet you wish to edit and then click the "Rename" icon at the bottom of the screen shown on the previous page.



5. Type in the new name of the template in the dialog box which then displays.




6. When finished, click on the "Check" icon.



To DELETE a Spreadsheet Template which is already stored on your SAP server, perform the following steps....

1. Note, this functionality is only available to Premium Users.
2. Click the "Premium User Functions" button from transaction ZGLSU.
3. Click the "Maintain Templates" button.
4. Highlight the appropriate spreadsheet you wish to edit and then click the "Delete" icon at the bottom of the screen shown on the previous page.
5. Click "Yes" in the following dialog box:






## Importing Data into a GLSU Template

GLSU has a utility to allow data to be imported from a file directly into a template. The data must be delimited with a comma, pipe, tab, or other delimiter that can be specified. The import system is great for pulling data exported from Excel, SAP, or another system directly into GLSU. The import is fast and can be a great time-saver. Further, if the data is available on the record, an offsetting entry can be built. This is all done in a user-friendly data preview and mapping environment.

To get started, click on the IMPORT icon on the menu:

The screenshot shows the 'Import data' dialog box with the following fields and callouts:


- 1**: Browse button next to the filename field.
- 2**: 'My data has headers' checkbox.
- 3**: 'Data delimiters' section containing radio buttons for Comma, Tab, Pipe, and Other.
- 4**: Preview field set to 10.
- 5**: Preview table showing 10 rows of data.
- 6**: Map Fields button at the bottom right.

Row#	CUR	TERMS	PMS	CO CODE	PKH	PKI	DOC HEADER	TEXT	VENDOR #	INV DATE	IF
1	USD	NOW	S	3000	31	40	SCG231-889	DEC PYMT	50004082	1/14/2014	8
2	USD	NOW	S	3000	31	40	SCG231-889	JAN PYMT	50004082	1/14/2014	8
3	USD	NOW	S	3000	31	40	SCG231-873	NOV PYMT	50005599	1/14/2014	8
4	USD	NOW	S	3000	31	40	SCG231-873	DEC PYMT	50005599	1/14/2014	8
5	USD	NOW	S	3000	31	40	SCG231-873	JAN PYMT	50005599	1/14/2014	8
6	USD	NOW	S	3000	31	40	SCG231-875	DEC PYMT	50004082	1/14/2014	8
7	USD	NOW	S	3000	31	40	SCG231-875	JAN PYMT	50004082	1/14/2014	8
8	USD	NOW	S	3000	31	40	SCG231-878	OCT PYMT	50004082	1/14/2014	8
9	USD	NOW	S	3000	31	40	SCG231-878	NOV PYMT	50004082	1/14/2014	8
10	USD	NOW	S	3000	31	40	SCG231-878	DEC PYMT	50004082	1/14/2014	8

1. Use the **BROWSE** button to find data files on your hard drive or network.
2. **"My data has headers"**: If your data has headers on record #1 check this box. If no headers are available you can continue, but it makes mapping more difficult.
3. Select a **Data delimiter**. This will let you see if the delimiter is the right one for the file and gives the user visual confirmation that the data will import properly.
4. Enter the **number of records** to show in the preview window. This value is also used to constrain the number of preview records on the mapping screen.
5. The **preview area** will show the data records as they will appear in the data mapping screen.

6. Click "**MAP FIELDS**" to open the data mapping screen shown on the next page.

## The Data Mapping Screen



The screenshot shows the 'Primary Map: "Sheet2"' dialog box. It contains two mapping tables: 'Primary Map' and 'Offset Map'. Both tables have columns for 'SAP Field', 'GLSU Field Description', 'Col#', 'Map-to Field or Value', and 'Example Data'. The 'Primary Map' table has rows for NEWBS (Posting key), NEWKO (Account), WRBTR (Amount), and SGTXT (Text). The 'Offset Map' table has the same rows. A checkbox labeled 'Use offset map' is checked. Below the tables are buttons for 'Clear Single Link' and 'Clear Primary Map'. At the bottom are buttons for 'Clear Single Link', 'Clear Offset Map', 'Cancel', 'Save and Exit', and 'Save and Import'. A 'Preview' pane on the right shows 'Example Data' with columns 'Col#', 'Col Header', and 'Example data'. It contains 21 rows of data. Callouts 1-7 point to various elements: 1 points to the Primary Map table, 2 to the Offset Map table, 3 to the 'Use offset map' checkbox, 4 to the 'Save and Exit' button, 5 to the 'Save and Import' button, 6 to the 'Example Data' table, and 7 to the 'Next' button in the 'Preview' pane.

SAP Field	GLSU Field Description	Col#	Map-to Field or Value	Example Data
NEWBS	Posting key			
NEWKO	Account			
WRBTR	Amount			
SGTXT	Text			

SAP Field	GLSU Field Description	Col#	Map-to Field or Value	Example Data
NEWBS	Posting key			
NEWKO	Account			
WRBTR	Amount			
SGTXT	Text			

Col#	Col Header	Example data
1	CUR	USD
2	TERMS	NOW
3	PMS	S
4	CO CODE	3000
5	PKH	31
6	PKI	40
7	DOC HEADER	SCG231-889
8	TEXT	DEC PYMT
9	VENDOR #	50004082
10	INV DATE	1/14/2014
11	INV #	869-122013
12	GROSS AMT	4,017.87
13	TAX AMT	0
14	NET AMT	4,017.87
15	TAX CODE	U1
16	TAX JUR	~
17	ITEM TEXT	SCG231-869-MUNCY MF
18	G/L ACCT	10045001
19	CST CTR	4300
20	ION	
21	POSTING DATE	1/15/2014


1. **Primary Map:** This area is for data file record fields to GLSU template fields.
2. **Offset Map:** This area works the same as the "Primary Map" except that it is mapped so that an offset entry will be produced.
3. **Checkbox "Use offset map":** Turn ON/OFF the "Offset Map" feature. Many mappings will not use this feature but it is here when needed.
4. **Save and Exit:** Save the map for use later. Maps are saved in the workbook by sheet so that they will be available when the workbook is opened again later.
5. **Save and Import:** Save the map to the workbook AND proceed to import the data into the GLSU template. Don't worry. If the data is not mapped correctly, you can come back and modify the map, then reload the data again.
6. **Preview:** The data preview pane shows one record at a time vertically to assist in field mapping.
7. **Preview Navigation:** The **NEXT** and **PREV** buttons step through the preview record set. Note that the mapped data changes on the left as the preview record changes on the right.

## Mapping the Data

To map the data coming from the record to the GLSU template fields simply click-and-drag the data set from the "Example Data" window to the left and drop it on the "Primary Map", in this example. Drag over one data field at a time until you have completed the data mapping. Use the PREV and NEXT buttons to step through the records. The data in each window will change showing just how the data map is working. Note that the import mapping will only step through the records that were previewed on the prior screen. If more records are needed to visualize all of the different types of records that will be imported, save and exit this screen, change the PREVIEW value from 10 to something higher, and then re-enter the data map.

Use the "Clear Single Link" button to undo a mapping for a single data element.

Use the "Clear Primary Map" to clear out ALL of the mappings for the Primary Map. There are similar buttons available underneath the "Offset Map".



The screenshot shows a software interface for mapping data. It is titled "Primary Map: 'Sheet2'".

**Primary Map Table:**

SAP Field	GLSU Field Description	Col#	Map-to Field or Value	Example Data
NEWBS	Posting key			
NEWKO	Account	18	G/L ACCT	10045001
WRBTR	Amount			
SGTXT	Text			


**Example Data Table:**

Col#	Col Header	Example data
1	CUR	USD
2	TERMS	NOW
3	PMS	S
4	CO CODE	3000
5	PKH	31
6	PKI	40
7	DOC HEADER	SCG231-889
8	TEXT	DEC PYMT
9	VENDOR #	50004082
10	INV DATE	1/14/2014
11	INV #	869-122013
12	GROSS AMT	4,017.87
13	TAX AMT	0
14	NET AMT	4,017.87
15	TAX CODE	U1
16	TAX JUR	~
17	ITEM TEXT	SCG231-869-MUNCY MF
18	G/L ACCT	10045001
19	CST CTR	1200

Buttons at the bottom: Clear Single Link, Clear Offset Map, Cancel, Save and Exit, Save and Import.

Callout box: Drag the example data to the desired GLSU field to map it.

## Importing Data



There are several import options available on the "Import Data" screen.

- 1. **Clear my line items and import the data:** This removes ALL of the data from your GLSU template before importing the data.  
...Or...
- 2. **Import the data appending it to the existing line items:** This setting appends the imported data to the end of your GLSU template. It is useful when you have two or more files that are formatted exactly the same but contain different sets of data; e.g., one file per week, per company code, etc.

- 1. **Import ALL records:** The system will import as many records as the file contains.  
...Or...
- 2. **Import only a subset of records:** Enter the number of records to load. This is useful when testing your map all the way to actually importing a small subset of the records in the file. Once everything looks good, use the "Import ALL records" and "Clear my line items and import the data" settings together to clear the template and import all of the data records.

Press button **Import and Exit** to start the import. The process bar and record counter will show the import progress.



### Hint!

Make sure you have the sheet active that you want to import the data into. The name of the sheet will show into the caption of the "Map

Field" screen.

## Importing Data – Advanced

With the introduction of the IMPORT feature two new keywords have been created: **REF1** and **REF2**. These "Reference" rows in the GLSU template work with the IMPORT feature to build moderate to highly complex data imports. Here is an example of what one looks like a GLSU template.

Line Items:	Posting key	Account	- balanced -	Text	Cost Center	Profit Center
REF1	40					
REF2	50	100000				

The **REF1** line is tied to the **Primary Map**, and **REF2** is tied to the **Offset Map**.

Let's take REF1 for example. Normally, when a Primary Import map is created, you map what you like and may or may not leave some column blank. If there is no REF1 row the missing values will import as blank as expected. However, what if the requirement is that the posting key is 40 for every row?

Looking at the example above notice that REF1 has a posting key of 40. This is constant. As long as the Posting Key column is not mapped, the value "40" will be used for every *primary record*. Some imports may only have a 1:1 correlation between the number of records in the file and the number of records being imported. However, if an Offset Map is created, we have a 1:2 correlation between the number of records being imported and the number of records actually imported. The Primary Map will *always* import data but the Offset Map will import data only if it is turned on in the mapping screen.

Let's take a look at the mapping screen for the example above. Notice how the map displays the incoming data with a REF1 row in place.

SAP Field	GLSU Field Description	Col#	Map-to Field or Value	Example Data
NEWBS	Posting key	REF1	default	
NEWKO	Account	18	G/L ACCT	10045001
WRBTR	Amount	14	NET AMT	4,017.87
SGTXT	Text	17	ITEM TEXT	SCG231-869-...
KOSTL	Cost Center	19	CST CTR	4300

Notice how the REF1 value "bleeds through" to the Primary Map. This means that for every row that is imported the value of *posting key* will be 40. It's a constant.

The same is true for the Offset Map and the REF2 row. In this case, the Offset Map would have blanks (unmapped columns) for both *Posting Key* and *Account*. The REF2 row will fill in those blanks as the records are imported.

There are a few neat tricks that the REF rows can be used for. How about coloring the background of the REF1 row light green? The effect would be that the import data would load and produce a "green-bar paper effect". REF1 and REF2 lines like this ...

Line Items:	Posting key	Account	- balanced -	Text	Cost Center
REF1	40				
REF2	50	100000			

...would produce this look in the imported sheet. It could help when trying to determine which imported records are from the Primary Map and which records are from the Offset Map.

Line Items:	Posting key	Account	- balanced -	Text	Cost Center
REF1	40				
REF2	50	100000			
	40	10045001	4,017.87	SCG231-869-MUNCY MF	4300
	50	100000	4,017.87	SCG231-869-MUNCY MF	4300
	40	10045001	4,017.87	SCG231-869-MUNCY MF	4300
	50	100000	4,017.87	SCG231-869-MUNCY MF	4300
	40	10045001	715.94	SCG231-873-LA PALMA DC	1220
	50	100000	715.94	SCG231-873-LA PALMA DC	1220
	40	10045001	715.94	SCG231-873-LA PALMA DC	1220

Note that the REF1 and REF2 rows can be hidden once they are set up and tested.

What about calculations? Yes, calculations can be used as well. It is possible to derive data for, say, the *Profit Center* column, based on *Account* and anything else on the imported sheet. A VLOOKUP() could be used on *Account* to lookup the associated *Profit Center*, for example.

Note also that if only the Primary Map is filled in and the Offset Map is "inactive", then only a REF1 row will be needed. Having a REF2 row will have no effect. If the goal is to have the REF2 row fill in *all* of the columns for every record loaded, then the Offset Map would be activated but not mapped and a REF2 with constants and/or calculations would be supplied. Perhaps all of the columns in the offset row are always the same and only *Amount* value changes from record to record. In that case, use the above approach but map the *Amount* column in the Offset Map.

You can load a "fixed length file as follows:

1. Use Excel's "File Open..." (fixed-width mode) to open and slice the file into columns as desired.
2. Save the resulting workbook as a Tab-Delimited (.txt) or Comma Separated variable (.csv) file.
3. Use the standard import method for delimited files to load the data into your GLSU template.




## Embedding Custom GLSU Buttons into a Template


It is useful at times to be able to build a template and add your own buttons for VALIDATE and POST. GLSU allows you to do this quite easily so that your most-used menu actions are embedded in the template.

The first step in this process is to get access to the Developer Tab:


1. Go to File → Options
2. Click on "Customize Ribbon"
3. On the right-hand side, check the box next to "Developer"



After hitting "OK", the standard Developer tab will be visible on the Excel Ribbon.



Now we need a button added to the menu. To do this, click on the insert icon and insert a button object. Initially the button will be named "Button 1" but we will change that.



Place your button where you prefer it. Size it if needed. If the button doesn't have an "edit border" around it then simply **right-click** on the button to turn on edit mode.

In edit mode for the button, look for selection "Edit Text" in the right-click menu. Name the first button "VALIDATE". Now all that is needed is to tie the button to a macro. While in edit mode, select "Assign Macro". For the Macro Name enter "GLSUValidate" and press OK. Test the button by clicking on it. The action should be exactly as though you had clicked on the GLSU Validate menu item.

Create a custom "Post" button using the same procedure. Simply add a new button as before and right-click on it to get the edit mode, and the edit menu. Edit the text to say, "POST". Again, in edit mode, edit the macro to read "GLSUPost". You're ready to go!

You can go into edit mode (right-click) on any button as needed to change the text, the macro name, or to resize or move the button into place.

## GLSU SAP–Side Installation Check (Technical/Project Team Utility)

To aid in the diagnosis of installation, configuration, and security role issues, GLSU comes equipped with an installation check utility. This utility can be run by all licensed GLSU users, both Premium and standard. It can be used to help internal BASIS personnel or insightsoftware support staff. Since the utility runs for a particular SAP user ID when diagnosing issues, the utility should always be run under the SAP user ID in question.

To run the GLSU installation check, go to transaction **ZGLSU** in SAP and then type "**check**" in the SAP command box.

The GLSU installation checker checks these items:

1. Transport import of GLSU data transports.
2. Open, write, transfer, close, and contents of temporary work files on local and remote SAP application servers.
3. Generation status of SAP standard load programs.
4. Authorizations for posting, parking, accruing, batch session management, file system access, immediate job submission, and the various RFC requirements needed to connect from Excel.

If an SAP authority object is checked, the authority object and the arguments will be shown. A "green light" (square) indicates the check was successful for the SAP user ID under which the check was run. Any color highlighted *other* than "green" indicates that the check failed and may require attention.

GLSU Installation Check

```
CHECK function summary : GLSU 7.0
System : ZD2 800 zopvm1 at 20200807 153259 CST
User : REYNOLDSC / Crew Reynolds
SAPGUI Version 7600.1.4.1966434
00 595
0 0
0 0

Validating logical filenames, paths, and file access ...
00 Logical filename found: ZOPTION_GLSU_POST_ZD2
00 The PHYSICAL PATHs for FI_ROOT and ZOPTION_GLSU_POST_ZD2 match.
00 Auth check passed on WRITE, sy-subrc=0
00 Auth check passed on READ, sy-subrc=0
00 Open file check passed, sy-subrc=0
00 Filename resolved to D:\work\Z_REYNOLDSC153259.20200807.TXT
00 Writing to tempfile, sy-subrc=0
00 Close tempfile, sy-subrc=0
00 Opening tempfile to read, sy-subrc=0
00 Read tempfile, sy-subrc=0
00 Closing tempfile, sy-subrc=0
00 Deleting tempfile, sy-subrc=0
00 Tempfile contents : CORRECT
00 Remote file check passed for server zopvm1_ZD2_00

00 No non-character BBKPF fields were found.
00 No non-character BBSEG fields were found.
00 User Scripting: TRUE
00 S_TCODE: FB01 sy-subrc=0
00 S_TCODE: FBS1 sy-subrc=0
00 S_TCODE: FBV1 sy-subrc=0
```


Navigation icons: back, forward, search, refresh, close

## Premium Only – Default and Hidden Field List

As a Premium user, you can configure the possible SAP fields which will be displayed and defaulted in Excel. This promotes ease of use and lack of confusion for fields which your company may never use or use infrequently.

To configure the list of default and hidden fields perform the following...

1. Start transaction ZGLSU.
2. Select "Validation Options".
3. Choose option "Select Hidden and Default Fields" (at the bottom of the screen, you may have to scroll down).
4. Check the appropriate options for fields you wish to Default and fields you wish to suppress from display (NOTE: Suppression does not cause the field to be unusable in GLSU, it simply does not display the field in the possible fields list as the default).



Hidden and Default fields, since they are relatively static, require a "Send Validation Now" operation in order to be updated the next time a spreadsheet is initialized.

These settings will be applied each time a GLSU spreadsheet is initialized. The settings are not applied when editing an existing worksheet.

## GLSU on Fiori

The GLSU transaction code ZGLSU now supports use as a tile in Fiori. A Fiori tile will not be delivered as part of the GLSU installation (no modification of SAP objects allowed) package, but can be easily added using standard SAP practices for adding custom tcodes as Fiori tiles in the location which is desired by the customer in the Fiori Launchpad.


You may use the Fiori tile as you would a regular SAP tcode in most respects. There are some limitations to functionality due to the security environment in a web browser. A message will display indicating so if the specific function is not available. For "Send Validation Now", customers should instead use "Retrieve Validation Data" in the Excel GLSU Ribbon which performs the exact same function. A reminder that in Excel you can set this to be automatically refreshed once, per Excel session. Lastly, performing a 2-step troubleshooting session will need to be done by a user who has SAP GUI or alternatively, a Premium User can set the "Never Delete BDC Sessions" technical option either temporarily or permanently. You can then run SM35 and troubleshoot your entry.

Technical Note: Customers wishing to go to zero-client SAP GUI installs, may do so as long as the SAP "Unicode RFC Libraries" are installed. Please see your IT/SAP GUI administrator for more information. The document drill-back functionality will not work if the customer only has SAP Fiori.

## Premium Only – Maintain Technical Options

From the ZGLSU transaction in SAP (logged in as a registered Premium user)...

1. Select "Premium User Functions"
2. Select "Maintain Technical Options"



**Job Wait Time(sec):** Allows you to synchronize GLSU with the parameters you have set for batch processing at your company. After the specified number of seconds, GLSU will return a message to the user saying that they need to try their posting again later. *NOTE:* When job wait times are reached, neither long texts nor BDS document attachments can be saved because no document numbers will be recorded until the SAP job runs.

**Doc Retention (days):** This option will control the amount of time that GLSU remembers files that are uploaded by each user. GLSU will "forget" filenames loaded by users when they become older than the number of days specified.

**Disable Load Balancing:** When selected, this option will force the background job to run on the application server that the user is logged into. When not selected (the default setting), the background job is run in an available batch work process like any other job.

**Maximum Rows Returned for Live Pick Lists:** The value entered here specifies the maximum number of records that will be retrieved (to avoid long runtimes) for real-time (live) pick values. The default value is 1000 entries.

**Job Class:** This option specifies which job class GLSU background jobs will be submitted as. The possible entries are Class "A" – High Priority, "B" – Medium Priority, or "C" – Low Priority

**Max SQL Statement Size:** This value denotes the maximum size of a database SQL statement. Depending upon your SAP database, this value may need to be adjusted. You should contact your DB administrator before you change the default value. *NOTE:* The default 64K value will not need to be adjusted in approximately 95% of GLSU installations.

**Submit As Non-Unicode:** With application of SAP note 723363 and/or certain versions of SAP (4.7 support package SAPKH47023 and ECC 5.0 support package SAPKH50005), an option was added by SAP to the standard load program to submit as non-Unicode. For installations which are known to be non-Unicode, this setting should be checked initially unless otherwise determined by Z Option support.

**Custom Validations:** GLSU can be configured (along with development) to handle custom validation scenarios. Custom validation development can be done via your internal development resources, or outsourced for a fee. Any header or detail fields can be validated, either on a line by line or total document basis. Drill-back to the Excel spreadsheet cell is supported. Errors are denoted in Excel by "CV-E" (Custom Validation Error). Only "errors" are supported at this time. **Users must select "Retrieve Validation Data" from the GLSU → Utilities menu option OR "Send Validation Now" from the ZGLSU transaction within SAP for the new setting to take effect.** Custom validations are only supported with a **live connection** (i.e. not supported in the off-line mode).

Full development documentation is provided in the /ZOPTION/GLSU\_LIVE\_CUSTVAL function module (Transaction: SE37) available on your SAP system after GLSU has been installed.

**Perform SAP Substitutions:** Reserved for future use.

**Perform SAP Validations:** Activate GLSU pre-validations for Financial Accounting line item validations and Cost Accounting line item validations. These are the same SAP validations as configured in OB28 and OKC7 respectively.

**NEVER Delete BDC Sessions:** When this option is checked, GLSU will never delete the sessions contained in transaction SM35, whether they are successful or not.

**Use Header Company w/split:** Activating this option will place the header company of the workbook as the header company on EVERY SAP split document which is created when the number of lines exceeds the "Maximum Input Lines per Doc" value. With the option de-selected, the last "New co.code" (Technical Field: NEWBK) value set will be placed on each respective split document.

**Attaching Documents:** See section [Document Attachments \(BDS\)](#).

**Transaction Control:** This section allows the Premium user to control globally which transactions can be used by all GLSU users. The checked options will be the only ones available in the Options screen. Note that on a clean installation GLSU will not immediately know these settings. However, as soon as a GLSU user attempts to post or park they are required to log in. It is at this point where GLSU will determine which transactions are allowed and which are not. Premium users are exempt from these settings.


**Enable Field Selection and Template Creation for Std. Users:** This option controls whether or not standard users of GLSU can access the "Choose Fields" menu item. It might be used in conjunction with the GLSU template download feature to get all users of GLSU in an organization using the same consistent templates without the ability to edit their fields. Premium users are exempt from this setting.

**NOTE: Only Premium Users will be allowed to maintain these technical options. Z Option recommends that you consult either insightsoftware and/or your BASIS administrator before changing any of these settings from their default values.**

## Premium Only – Create Off-Line Validation File


Since GLSU offers two methods to validate, Off-Line and Real-Time, it may be a requirement to create a validation file for an external user or business partner (Vendor, etc.) independent of the site-wide configuration configured by the Premium User.

For example, in your GLSU configuration you might have selected all fields which are available for "Live" validations. This configuration creates the minimal footprint on the PC workstation. This is an optimal configuration for an in-house user with direct access to SAP. However, many customers use GLSU to create spreadsheets which can be used off-line. Since the pre-validation, pick lists, and descriptions are major features which would be lost if the external user was given a local validation file (.INI), we provide the "Create Offline Validation File" function available to only Premium users.



In order to create an off-line validation file perform the following steps...

1. Log in to SAP.
2. Execute transaction ZGLSU.
3. Select "Premium User Functions".
4. Select "Create Offline Validation File".
5. Enter (or select) the offline validation file you want to create [NOTE: Be certain not to overwrite your personal local file].
6. Enter your selection criteria. Leave a "??" in all fields you do NOT want to be downloaded to the off-line validation file. A blank in the selection criteria will select all values, or you can limit the selection based on specific criteria.
7. Execute the program.



## Premium Only – Default User Settings


Premium Users can set default values for all "Balancing Account Info" values, "Maximum Input Lines per Document," and "No Data Character". This is extremely useful for large implementations where the number of GLSU users may be in the hundreds or thousands of users and you do not want the end users to have to set these values manually one user at a time.

In order to set these values, one Premium user will change their values to the appropriate values and then simply select the "Save Defaults for All Users" button.

NOTE: All existing GLSU user settings which DO NOT ALREADY HAVE A VALUE SAVED FOR THAT FIELD will be overwritten with the Premium user's settings and values. All newly registered GLSU users' settings registered *after* the Premium user performs this action will also be created with these default settings.

If a mistake is made, the Premium user can reset to factory default settings by selecting the "Reset for All Users" button. This will remove ALL settings which were created by this feature AND custom settings which were created by end users. Please be cautious when using the "Reset for All Users" function. This functionality does NOT create settings for SAP IDs which are not registered GLSU users.

Balancing Account Info



☰
Balancing Posting Information
✕

Balancing Account	194004 <span style="float: right; border: 1px solid #ccc; padding: 2px;">📄</span>
Debit Posting Key	40
Credit Posting Key	50
Business Area	<input type="text"/>
Allocation	<input type="text"/>
Cost Center	<input type="text"/>
Profit Center	<input type="text"/>
Line Item Text	<input type="text"/>

Save Balancing Info

Save Defaults for All Users

Reset for All Users

🔄
🔍 Check
📄
✕


- This page intentionally left blank -

## Troubleshooting

### Getting Help from your Premium Users

Standard Users should raise all first level support issues with their Premium Users per the Software License Agreement signed by your principals. If there is an issue which requires additional support, the Premium user may always open a support ticket, but all resolutions and communication must be performed through a Premium user. This helps us keep your maintenance costs below industry averages.

To see who your Premium users are click on "Show My Contacts".



### Using the Support Portal

GLSU uses a web-based support portal which allows our users to notify us if there are questions or problems with the software that need to be resolved.

Premium Users at your company are eligible to receive Support Portal login IDs. If they have not already done so, each Premium user should request one.

The support portal and ID request form is accessible from <https://www.magnitude.com/support>

Once your ID has been confirmed (you will receive an email), you may login to the support portal system on the same support page by clicking "Log in to the Portal".

## Export a Document (2-Step Posting Process)

You may choose to post your document to SAP using a batch posting method. The batch posting method exports an uploadable file onto your PC. Many times this will be used to troubleshoot an issue and may be requested by Support.

From the GLSU menu...

1. Choose menu item "Export".
2. Select "Copy Filename to Clipboard".
3. Login to SAP via the SAP GUI (if you are not already logged in).
4. Execute transaction ZGLSU.
5. Paste (Ctrl-V) the filename from Step 2 into the "PC Spreadsheet Output File" field.
6. Press the green Execute (F8) button.

**NOTE:** The file is saved under the same name as your spreadsheet, with a .ZGL extension.

See [Processing "Export" Files](#) for more detailed information (with screen shots) about manually processing the files in SAP.

## Custom Pick Lists

For custom fields like ZZnnnnnn, ex. ZZCHAN – Distribution Channel, there is normally no pick list available. However, one can be created with a little help from an ABAP programmer. All of the ZZnnnnnn fields are candidates for custom field pick lists.

BSEG	NEWBS	NEWKO	WRBTR	SGTXT	ZZCHAN
<b>Line Items:</b>	<b>Posting key</b>	<b>Account</b>	<b>- balanced -</b>	<b>Text</b>	<b>Dist. channel</b>
	40	100000		12.5 Demo	
	50	100000		12.5 Demo	

Have your ABAP resource look at the examples available in SAP function **/ZOPTION/GLSU\_LIVE\_CUSTPICK**. There is an example for returning a custom ZZCHAN pick list that they can use as-is or use as a template to build custom pick lists as needed.

## "Scripting Not Enabled" Error Message

Occasionally within a GLSU workbook, a user will see a pop-up error message titled "Scripting Not Enabled", which gives instructions for enabling a scripting setting through **SAP GUI**.


However, it may be confusing because when the user looks at their SAP GUI settings, the checkbox for "Enable Scripting" appears to be already checked!

The GLSU error message **is correct**:

Occasionally when it is installed, a bug in SAP GUI causes the checkbox for "Enable Scripting" to say it is already checked, but the programmatic value for that control is NOT actually set.

The solution is very simple!

Inside the SAP GUI Logon pad:



1. Turn **OFF** scripting by removing the tick mark from the checkbox.
2. Click the **Apply** button or the **OK** button to save the change.
3. Then turn scripting **ON** by ticking the checkbox for "Enable Scripting".
4. Click **OK** to save and exit SAP GUI Options.


Once this setting is saved, this only needs to be done ONE time per user.

## Problems with the Toolbar?

**GLSU PC files:** As of GLSU 6.2, there is only one file that needs to be installed in the Excel add-in screen.

"Z Option Glsu" = GLSU functions [filename: Z Option GLSU.xlam]

To check to see if GLSU is installed, go to Excel's File → Options → Add-Ins screen.



The error conditions below generally occur when only *part* of GLSU is installed/active on the user's PC. Such issues can usually be corrected by manually activating an add-in (which task does not usually need admin rights), or by re-running SetupGLSU.EXE (with full PC administrator rights).

**To Manually Install an Add-In:** Do the following in Excel...

1. Go to Excel File → Options → Addins (select it on the left of the screen).
2. At the bottom of the Add-ins screen, select "Manage:" → Excel Add-Ins → click "Go...", which will pop up a small "Add-Ins" screen with checkboxes.
3. Click the "Browse" button, which opens a file explorer window.
4. Navigate to directory "C:\Program Files (x86)\Z Option\GLSU\" and select "Z Option GLSU.xlam" and click OK until you get back to Excel.
5. Then close Excel and re-open Excel and it should be active.

If the GLSU tab is still not visible and active in Excel, GLSU may not have been installed using "Run as administrator". This is required so that the setup program can create required registry entries vital for GLSU to operate properly.

Running SetupGLSU.EXE with full PC administrator rights adds these keys to the Registry automatically. If re-running the installer with full admin rights is not possible, and manually adding the

add-in using the steps above still doesn't work, then there is likely a policy or restriction preventing the required Registry entries from being created.

## Technical Installation

There are 4 main steps that must be completed for GLSU to run on your productive SAP system, plus an optional 5<sup>th</sup> step.

1. Install the transport and import it into SAP.
2. Set up the logical filenames for your system.
3. Set up user authorization.
4. Transport all of the above to any systems where GLSU will be run.
5. Optional – Set profile parameter.

Each of the steps are detailed below.

### UPGRADE NOTE:

IF YOU ARE UPGRADING FROM A PRIOR VERSION, you probably have already set up the logical filenames and authorization. Those steps can be skipped for upgrades.

\*\*\*\*\*  
SECTION 1 - INSTALL AND IMPORT THE GLSU TRANSPORT  
\*\*\*\*\*

- 1.1 Copy the all the files from the CD root directory (or .ZIP file) into \usr\sap\trans (or its equivalent) on your SAP machine.
- 1.2 Run the included ZOPUNSAR.BAT file (if you are on a Windows NT operating system). This will expand the compressed file ZOPGLSU60.SAR. If you are not on Windows NT, run the **sapcar** commands manually, e.g., "sapcar -xvf ZOPGLSU61a.SAR".

**NOTE:** This version is Unicode compliant. Even if your SAP system is not Unicode, you should still install this version. The code is Unicode compatible and it will save you an upgrade step if you should ever convert your SAP system to Unicode.

*Example:*

```
e:\usr\sap\trans>zopunsar
```

```
sapcar -xvf ZOPGLSU60.SAR  
x cofiles/K900077.ZD2  
x cofiles/K900077.ZD2
```

**NOTE:** Actual transport numbers may vary from GLSU version to GLSU version.

The transport for this release is as follows:  
ZD2K900077 – GLSU MAIN PROGRAM

1.3.3 Add the transport to the correct import queue. Use transaction STMS. Press the "Truck" icon or Overview → Imports.



Double-click the queue for the system into which you want to import the transport (usually your development box).

When the Import Queue is displayed, select Extras → Other Requests → Add and enter the transport number (e.g. ZD2K900077). Confirm that you wish to add it to the queue.

1.4 Import the transport using Request → Import.

If errors occur, try re-importing the file using more override flags. Some errors in importing are unavoidable.

If something fails to generate, try importing it again, and then try manually generating the object.

\*\*\*\*\*  
SECTION 2 - SET UP LOGICAL FILE NAMES  
\*\*\*\*\*

#### UPGRADE NOTE:

IF YOU ARE UPGRADING FROM A PRIOR VERSION, you probably already have the logical filenames set up – those have not changed in the upgrade.

If you are in a technical environment that has more than one application server, please read the "Supported Technical Environment Notes" section below before starting this step for important information.

2.1 Determine what path you would like to use to store the GLSU temporary posting files.

These files are usually less than 2-3 megabytes in size, but for some heavy users, they can approach 15 megabytes. The files are deleted as soon as the process completes, so the normal state of this directory is to be empty. During rare circumstances, files can get hung; it is good practice to occasionally purge any files over 30 days old.

You will need to set up a logical file names and logical file paths for each SAP system ID where GLSU will be run. The logical file names are in the format "ZOPTION\_GLSU\_POST\_XXX" where "XXX" is replaced by the system ID. "ZOPTION\_GLSU\_POST\_ZD1" is provided in the transport only as an example.

2.2 Use transaction FILE to create the logical file paths.

Acknowledge the client-independent warning. Scroll to the bottom of the list of logical paths. Select ZOPTION\_GLSU\_POST\_ZD1 and press the Copy As... button or use menu option Edit → Copy As... This will allow you to create a new entry and shows you the current ZOPTION\_GLSU\_POST\_ZD1 as the default name. Erase the "ZD1" and put in your system ID. When you have it correct, press Enter, and when asked if you want to copy dependent entries, select Copy All.

You now need to set the path for this new logical file path definition. Select the new ZOPTION\_GLSU\_POST\_xxx entry and press the second file folder icon up at the top. This allows you to enter the physical file name for Windows NT. If you are not using Windows NT, please use the New Entries button and enter your correct operating system in the Syntax Group field, along with the correct physical path for this system ID.

If you want to set up more than one system ID, go back to the main "Change View Logical File Paths Overview" screen and press the top file folder icon. Do the Copy As... and repeat the instructions in Section 2.2.

When you are finished creating the logical file paths, press the SAVE button, or choose menu option Table View → Save. It will ask for a transport number - create a new one so you can easily track the logical file names.

### 2.3 Use transaction FILE to create logical file names.

Now that all the logical file paths have been defined and their physical paths defined, we need to assign logical file names that use those paths. While still in transaction FILE, click on the 3rd file folder icon. Scroll to the bottom of the list, and again, we will select the entry called ZOPTION\_GLSU\_POST\_ZD1 and press the Copy As... button or use the menu option Edit → Copy As... This will pop up a screen requesting the logical file information. The only thing that needs to be changed is the logical file and logical path, replacing "ZD1" with your desired system id in both fields.

*NOTE:* If you want to also change the physical file name, you may edit the "Physical file" field. The text "<PARAM\_1>" is replaced by the system with Username+Timestamp, so for John Smith, whose USERID is JSMITH, running the program at 8:38 in the morning would have a filename like ZOP\_GLSU\_JSMITH083079 in the path you defined in step 2.2.

Repeat 2.3 as necessary for all your system IDs.

When you have finished creating the logical file names, press the SAVE button, or choose the menu item Table View → Save.

As an alternative configuration method, you can choose to create one logical filename definition as ZOPTION\_GLSU\_POST and transport it throughout your landscape. It is important to note you must use extreme care when utilizing this method. Use appropriate variables as this path will be used in all systems including production unless you choose to maintain the entries separately in each system. In the case of a mixed logical filename configuration (one that contains both a ZOPTION\_GLSU\_POST\_SID entry and a ZOPTION\_GLSU\_POST entry), the "SID" entry will be used if one is available and then the entry without a SID.

### 2.4 Record the transport number.

This package will have to be transported to all systems where GLSU will be run.

\*\*\*\*\*  
 SECTION 3 - SET UP USER AUTHORIZATIONS  
 \*\*\*\*\*

**UPGRADE NOTE :**

IF YOU ARE UPGRADING FROM A PRIOR VERSION, most of the prior authorizations will still work – the only addition is RFC access if you want your users to be able to post their documents directly from the Excel spreadsheet via RFC connection.

3.1 The following is a list of authority objects which are needed to use the GLSU solution.

Authorization Object	Field :: Values
S_TCODE	Transaction code :: "FB01" for document posting "SM35" for document processing/log viewing "ZGLSU" for the main GLSU program "FBS1" for Accrual "FBV1", "FBV0", and "FBVB" for Park Document "FBB1" for Post Foreign Currency Adjustment "FV50L" for Park to Ledger Group
S_BTCH_JOB	JobAction :: RELE JobGroup :: *
S_BDC_MONI	Batch input monitoring activity :: DELE Session name :: FI-GLSU*
S_RFC	Activity :: 16 Name of RFC to be protected :: /ZOPTION/GLSU, /ZOPTION/COMMON, RFC1, SRFC, SUSO, SYST, RFCH, BDS_BAPI (for attaching documents), 0002 (for document drillback), SDIFRUNTIME (for meta-data retrieval) Type of RFC object to be protected :: FUGR
S_PATH	Full Authorization
S_DATASET	Activity: Full Authorization (Delete authority is needed to cleanup temporary intermediate files) Filename: Path as configured in Section 2 Program: "/ZOPTION/*", "RFBIBL0*"
F_BKPF_BUK	Company Code: All required Activity: "01" for Posting and Accrual "03" to download master data in the .INI or real-time pick lists and description functionality. This is also the activity which was added to adhere to SOX requirements for data access "77" for Park Document
S_GUI	For uploading/downloading files: "60" and "61" for ACTVT (Activity)

Authorization Object	Field :: Values
S_SCR	Authorization for SAP GUI scripting: "16" for ACTVT (Activity)
S_BDS_DS	For attaching documents to the BDS: "BKPF" and "ACCTGDOCMT" for ClassName "BO" ( <i>Bravo, Oscar</i> ) for ClassType "01" - "05", and "30" for ACTVT (Activity) Additional activities as required.
S_BDS_D	For attaching documents to the BDS: "01" - "05", and "30" for ACTVT (Activity) Additional activities as required. "BDS*" for LOIO_CLASS (or as configured)

\*\*\*\*\*  
**SECTION 4 - TRANSPORT TO OTHER SYSTEMS**  
 \*\*\*\*\*

4.1 Transport all of the above to any systems where GLSU will be run.

\*\*\*\*\*  
**SECTION 5 – OPTIONAL – SET PROFILE PARAMETER**  
 \*\*\*\*\*

5.1 If users require document drill-back functionality from Excel, set system profile parameter "sapgui/user\_scripting" equal to "TRUE".

*Supported Technical Environment Notes:*

When configuring logical file paths, it is important that the file paths specified are either Network File System or Windows Shares, common and writable across all application servers (if the environment has more than one application server). Since GLSU jobs are load-balanced, it is possible that jobs will be started on application servers *other* than the one the user has logged onto.

BDC Log files stored at the application server OS level **must** be configured to be read by **all** application servers. The default path suggested by SAP is \usr\sap\<SID>\SYS\global. If this directory is not common to all application servers, the financial document number may not be retrievable by the GLSU application since the document number is retrieved from these files.

*SAP Upgrade Notes:*

If you are upgrading your SAP system from any 4.0x, 4.5x, 4.6x, or 4.7x version to any of these versions, you do not need a separate transport. Although there are significant differences in the SAP repository components for these SAP versions, ALL of the objects necessary to run in each of these environments are delivered with the one codebase. Therefore, an upgrade of

the Z Option software is not necessary unless you desire new functionality in a later release of GLSU.

**Transport object list for GLSU:**

Object Directory	LIMU	ADIR	R3TRSOTR/ZOPTION/GLSU
Table Definition	LIMU	TABD	/ZOPTION/GLSU_TEMPLATE_DATA
Table Definition	LIMU	TABD	/ZOPTION/GLSU_TEMPLATE_LIST
Class (ABAP Objects)	R3TR	CLAS	/ZOPTION/CL_IM_GLSU_PRKLDG
Domain	R3TR	DOMA	/ZOPTION/CHAR260
Domain	R3TR	DOMA	/ZOPTION/CHAR8000
Data Element	R3TR	DTEL	/ZOPTION/MAXROWS
Data Element	R3TR	DTEL	/ZOPTION/ROWNUMBER
Data Element	R3TR	DTEL	/ZOPTION/SHEETNUMBER
Data Element	R3TR	DTEL	/ZOPTION/SPLITNUMBER
Data Element	R3TR	DTEL	/ZOPTION/VAL260
Data Element	R3TR	DTEL	/ZOPTION/VALKEY
Data Element	R3TR	DTEL	/ZOPTION/VALLINE
Data Element	R3TR	DTEL	/ZOPTION/VALMSG
Data Element	R3TR	DTEL	/ZOPTION/DB_FILTER_NAME
Data Element	R3TR	DTEL	/ZOPTION/DB_FILTER_VALUE
Enhancement Implementation		R3TR	ENHO /ZOPTION/GLSU_PRKLDG_EXT
Enhancement Implementation		R3TR	ENHO /ZOPTION/GLSU_PRKLDG_IMP
Function Group	R3TR	FUGR	/ZOPTION/COMMON Contains:
			/ZOPTION/PING
			/ZOPTION/GET_PREMIUM_USERS
			/ZOPTION/USER
Function Group	R3TR	FUGR	/ZOPTION/GLSU Contains:
			/ZOPTION/GLSU_POST
			/ZOPTION/GLSU_GET_VALIDATION
			/ZOPTION/GLSU_LIVE_PICK_GET
			/ZOPTION/GLSU_LIVE_VAL_GET
			/ZOPTION/GLSU_LIVE_AUTH
			/ZOPTION/GLSU_LIVE_DESCR_GET
			/ZOPTION/GLSU_LIVE_CUSTVAL
			/ZOPTION/GLSU_GET_AUFNR
			/ZOPTION/GLSU_INSTALL_CHECK
			/ZOPTION/GLSU_LIVE_SUBST
			/ZOPTION/GLSU_LIVE_SETTING_GET
			/ZOPTION/GLSU_LIVE_COBL_CHECK
			/ZOPTION/GLSU_LIVE_CUSTEXTRACT
			/ZOPTION/GLSU_LIVE_CUSTPICK
			/ZOPTION/GLSU_LIVE_DOCEXTRACT
			/ZOPTION/GLSU_PARK_LDGRP
			/ZOPTION/GLSU_RWBAPI_COBL
			/ZOPTION/GLSU_GET_TEMPLATE_LST
			/ZOPTION/GLSU_GET_TEMPLATE_DAT

```

/ZOPTION/GLSU_LINK_ATTACHMENT
/ZOPTION/GLSU_LIVE_FB00_GET
/ZOPTION/GLSU_VALIDATE_BALACCT
/ZOPTION/GLSU_GET_DASHBRD_DATA
Message Class R3TR MSAG /ZOPTION/GLSU
Program R3TR PROG /ZOPTION/GLSU
Program R3TR PROG /ZOPTION/GLSU_PRINT_HISTORY
Program R3TR PROG /ZOPTION/GLSU_SEND_CONFIG
Program R3TR PROG /ZOPTION/GLSU_SEND_CONFIG_OFFL
Program R3TR PROG /ZOPTION/GLSU_TOP_CONSTANTS
Program R3TR PROG /ZOPTION/GLSU_TOP_TABLES
Program R3TR PROG /ZOPTION/HIDDEN
Business Add-Ins - Implementations R3TR SXCI /ZOPTION/GLSU_PRKLDG
Table R3TR TABL /ZOPTION/CUSTMSG
Table R3TR TABL /ZOPTION/FIELD_COLUMNS
Table R3TR TABL /ZOPTION/GLSU_PARK_LDGRP_COMM
Table R3TR TABL /ZOPTION/LIVEDES
Table R3TR TABL /ZOPTION/LIVERET
Table R3TR TABL /ZOPTION/LV_IN
Table R3TR TABL /ZOPTION/LV_OUT
Table R3TR TABL /ZOPTION/MSG_LOG_TX
Table R3TR TABL /ZOPTION/PICKLIST
Table R3TR TABL /ZOPTION/VAL
Table R3TR TABL /ZOPTION/ZBAPIRETURN1
Table R3TR TABL /ZOPTION/ZBSEG
Table R3TR TABL /ZOPTION/ZDATA
Table R3TR TABL /ZOPTION/ZLOG
Table R3TR TABL /ZOPTION/DASHBOARD_EXTRACT
Table R3TR TABL /ZOPTION/DASHBOARD_FILTER
Transaction R3TR TRAN /ZOPTION/GLSU
Transaction R3TR TRAN ZGLSU
Table Type R3TR TTYP /ZOPTION/T_BBSEG
View Maintenance: Data R3TR VDAT V_FILENACI
View Maintenance: Data R3TR VDAT V_FILEPATH
View Maintenance: Data R3TR VDAT V_PATH
Package R3TR DEVC /ZOPTION/COMMON
Package R3TR DEVC /ZOPTION/GLSU
Package R3TR DEVC ZGL1

```